

POLYHEDRON

SUBJECT INDEX FOR VOLUME 9, 1990

PERGAMON PRESS

OXFORD · NEW YORK · FRANKFURT
SEOUL · SYDNEY · TOKYO



POLYHEDRON

The International Journal for Inorganic and Organometallic Chemistry

Editor-in Chief:
Sir Geoffrey Wilkinson, *Imperial College of Science and Technology*

Executive Editors:
Rest of the World
D C Bradley, *Queen Mary and Westfield College, University of London, Mile End Road, London E1 4NS, U.K.*
Fax: (081) 981 7517

U.S.A. and Canada
M H Chisholm, *Department of Chemistry, Indiana University, Bloomington, IN 47405, U.S.A.*
Fax: (812) 855 7148

Editorial Board:
E W Abel, *University of Exeter*
R D Adams, *University of South Carolina*
F A Cotton, *Texas A & M University*
D Coucouvanis, *University of Michigan*
A H Cowley, *University of Texas at Austin*
I G Dance, *University of New South Wales*
W J Evans, *University of California at Irvine*
R D Gillard, *University of Wales, Cardiff*
W A G Graham, *University of Alberta*
M L H Green, *University of Oxford*
N N Greenwood, *University of Leeds*
W A Herrmann, *Technische Universität München*
R H Holm, *Harvard University*
M B Hursthouse, *Queen Mary and Westfield College, University of London*
A Ludi, *University of Berne*
T J Marks, *Northwestern University Illinois*
S F Mason, *King's College, University of London*
F Mathey, *Equipe CNRS–SNPE*
W McFarlane, *University of Newcastle upon Tyne*
J A Osborn, *Université Louis Pasteur*
R J Puddephatt, *University of Western Ontario*
R Schmutzler, *Institut für Anorganische und Analytische Chemie der Technischen Universität, Braunschweig*
F G A Stone, *Baylor University*
P Stoppioni, *Università Degli Studi di Firenze*
A G Sykes, *University of Newcastle upon Tyne*
K Vrieze, *Universiteit van Amsterdam*
K Wade, *University of Durham*
A Yamamoto, *Tokyo Institute of Technology*

Polyhedron Reports and **Polyhedron Symposia-in-Print**
Editors:
M H Chisholm, *Indiana University*
E C Constable, *University of Cambridge*

Production Editor:
S J Fellows, *Pergamon Press plc, Headington Hill Hall, Oxford OX3 0BW, U.K.*
Fax: (0865) 60285

Publishing, Subscription and Advertising Offices: Pergamon Press plc, Headington Hill Hall, Oxford OX3 0BW, U.K.; or Pergamon Press Inc., Fairview Park, Elmsford, NY 10523, U.S.A.

Twenty-four issues per year.

Annual Subscription Rates (1991)
Annual institutional subscription rate (1991) DM 2860.00. Two-year institutional rate (1991/92) DM 5434.00. Personal subscription rate for those whose library subscribes at the regular rate (1991) DM 262.00. Prices are subject to change without notice.

Microform Subscriptions and Back Issues
Back issues of all previously published volumes, in both hard copy and on microform, are available direct from Pergamon offices.

Copyright © 1991 Pergamon Press plc

It is a condition of publication that manuscripts submitted to this journal have not been published and will not be simultaneously submitted or published elsewhere. By submitting a manuscript, the authors agree that the copyright for their article is transferred to the publisher if and when the article is accepted for publication. However, assignment of the copyright is not required from authors who work for organizations which do not permit such assignment. The copyright covers the exclusive rights to reproduce and distribute the article, including reprints, photographic reproductions, microform or any other reproduction of similar nature and translations. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, electrostatic, magnetic tape, mechanical, photocopying, recording or otherwise, without permission in writing from the copyright holder.

Photocopying Information for Users in the U.S.A.

The Item-Fee Code for this publication indicates that authorization to photocopy items for internal or personal use is granted by the copyright holder for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service provided the stated fee for copying beyond that permitted by Section 107 or 108 of the United States Copyright Law is paid. The appropriate remittance of $3.00 per copy per article is paid directly to the Copyright Clearance Center Inc., 27 Congress Street, Salem, MA 01970.

Permission for Other Use

The copyright owner's consent does not extend to copying for general distribution, for promotion, for creating new works, or for resale. Specific written permission must be obtained from the publisher for such copying.

The Item-Fee Code for this publication is: 0277-5387/90 $3.00+.00

VOLUME 9

SUBJECT INDEX

(Compiled by Peter Thornton)

A

Ab initio calculations
  S_4N_4, 1935
Acetates and acetato complexes
  cadmium, 1017
  chromium(II), 1237
  copper(II), 805,2035,2613,2867
  europium, 1411
  manganese(III), 2867
  molybdenum(II), 1237
  neodymium, 1411
  nickel(II), 1729
  palladium(II), 2741
  rhenium(II), 743
  rhodium, 1589
  tin(IV), 1331
  tungsten(IV), 11
  uranium(VI), 2987
  yttrium, 1305
Acetone complexes
  cobalt(II), 1375
Acetonitrile complexes
  copper(I), 75,2919
  manganese(II), 1311
  ruthenium(II), 1243
  sodium, 957
  tungsten(0), 2887
  tungsten(VI), 2293
Acetophenone complexes
  aluminium, 233
N-Acetylcysteine, *N*-acetyl-
  penicillamine complexes, Cd, 831
N-Acetylmethionine and -amide
  complexes
  platinum(II), 1975
1-Adamantylamido complex
  aluminium, 257
Alanine complexes
  cadmium, 2437
Alanylalanine, -glycine complexes
  cobalt(II),(III), 2567
Alcohols, oxidation by Ru(VI)
  complexes, 1751
Alcohol complexes
  nickel(II), 535
  osmium(III), 2309
  uranium(IV), 1843
Aldehyde complexes
  aluminium, 233
Alditol complexes
  molybdenum(VI), 1225
Aldol condensations, metal
  enolates in, 223
Alkenes, conversion to alcohols,
  1235
Alkene complexes
  chromium(II), 2193
  tungsten(IV), 23
Alkene dimerisation, 2809
Alkene oligomerization, 2823
Alkenediyl complexes
  Ir(II,III), Rh(II), 2635
Alkenyl complexes
  ruthenium(II), 907
Alkoxides
  aluminium, 227,223,239,253,309,
    371,409
  barium, calcium, 2959
  copper(II), 535,611,2575,2867
  germanium, 2189
  indium(III), 719
  lithium, 227
  manganese(II), 2867
  molybdenum, 619
  molybdenum(III), 1821,2941
  molybdenum(V), 1965
  nickel(II), 2867
  ruthenium(II), 1113
  scandium, 719
  strontium, 2959
  tin(IV), 1331
  tungsten, 2953
  tungsten(III), 1829,2941
  uranium(IV), 1843
  Y, Yb, 719
Alkoxycarbene complexes
  molybdenum, tungsten, 2953
Alkoxycarbonyl complexes
  rhenium(III), 1131
Alkyls
  aluminium, 223,233,239,245,257,
    265,277,289,301,313,371,2205,
    2809
  antimony, arsenic, 921
  boron, 223
  cadmium, 921,1483,2437
  cobalt, 2477
  cobalt(II), 931
  gallium, 223,319,335,343,353,
    2763
  germanium, 227,2263
  hafnium, 301
  indium, 353,361,921
  iridium(III), 1883,2071
  magnesium, 1775
  manganese(I), 921
  mercury, 597,921,2477
  niobium, 1051
  rhenium(V), 957
  rhodium, 2477

rhodium(III), 2047,2071
rhodium(IV), 2071
ruthenium(III), 2071
tantalum, 1051
tellurium(II), 847,921
tin(IV), 2863
titanium(IV), 1423
tungsten(IV), 11,23
tungsten(VI), 1271
zinc, 223,921
zirconium, 301,839,1423
Alkylamides
aluminium, 253,257
chromium(VI), 2625
gallium, 343
mercury, 1765
molybdenum(III), 1821
niobium(V), tantalum(V), 2709
Alkylidene complexes
osmium, tungsten, 1491
Alkylidyne complexes
molybdenum, tungsten, 2953
tungsten(VI), 1271
Alkylimides
chromium(VI), 1009,2625
osmium(VIII), 1009
rhenium(V),(VI),(VII), 2081
tungsten(IV), 603
Alkylsilazalanes, 2205
Alkynes, reactions with trinuclear complexes, 2791
Alkyne complexes
iridium(I), 1867
nickel(I), 581
niobium(I), 1855
Os(0), Ru(0), 1867
tantalum(V), 2709
tungsten(II), 727,2135,2233,2507
tungsten(IV), 603
Allyl complexes
nickel(II), 757
tungsten(IV), 11,23
Aluminium
aldehyde alkyl alkoxide ketone complexes, 233
alkoxide alkylamide amine complexes, 253
alkoxide methyl phenoxide compounds, 239
alkyl chloride, 2809
alkyl enolates, 223
alkyl silyl lithium compounds, 277
alkyl silylamides, 2205
alkylamide arylamide methyl cyclometallated compounds, 257
amine arsine methyl complexes, 289
aniline arylamide chloride methyl cyclometallated complexes, 245
blood plasma speciation, 151,163
butoxides, 227
catechol citrate desferrioxamine hydroxide complexes, 171
chloride ethoxide pyridine complex, 309
chloride tungsten(IV) complex, 11
diketonates, 215
diphosphoglycerate complexes, 189
group 16 complexes, review, 409
hydroxide nitrilotriacetate water complexes, 199
methyl oxo phenoxide compounds, 301
methyl oxo propionate propionic acid propoxide complexes, 371
methyl phosphine-sulphide complexes, 313
methyl pyrazolylborate pyrazolylmethane complexes, 265
niobium(V) oxide, 367
oxo compounds, reviews, 409,429
silicate formation in blood plasma, 193
Aluminohydrides, transition elements, review, 387
"Alumoxanes", review, 429
Americium(III)
crown amine carboxylate ether complexes, 2455
Amide complexes
cobalt(III), 1079
copper(II), 2375
manganese(II), 2699
tin(IV), 125
2-Amidothiophenoxides
rhenium(V), 2211
Amine complexes
aluminium, 253,289
cobalt(II), 2847,2873
cobalt(III), 1079,2803
copper(I), 739,2319
copper(II), 535,611,2375,2463, 2693,2847,2867
gallium, 343
iron(II), 2641
manganese(II), 2873
manganese(III), 2867
mercury, 851,2931
molybdenum(V), 2171
molybdenum(VI), 881
nickel(II), 535,1027,2847,2867, 2873
palladium(II), 495,851
platinum(II), 495,851,2647
rhenium(V), 615
rhodium(III), 2925
ruthenium(II), 1113
tungsten(0), 2887
zinc, 763,2847,2873
Amine synthesis, catalysis by $RuCl_2(PPh_3)_3$, 2517
Aminoacid complexes
cadmium, 665,831
calcium, cobalt(II), 665
cobalt(III), 2149,2245
copper(II) 665,1293,2419
Mg, Ni(II), Pb(II), 665
platinum(II), 1975
vanadium(IV), 81,2101
zinc, 665,1293
Aminoacid ester complexes
mercury, 597
Aminoacid Schiff base complexes
copper(II), zinc, 1293
Aminoalkoxides
aluminium, 409
copper(II), 535,611
Aminoalkyls
gallium, indium, 353
2-Aminobenzenethiol, 2-amino-cyclopentene-1-dithiocarboxylate complexes, Mo(VI), 881

Aminocarbene complexes
chromium(II), 2193
nickel(II), 1447
Aminochlorophosphines, 2619
Aminodiarsines, aminodiphosphines, 2413
2-Aminoethanol complexes
nickel(II), 535
2-Aminoethoxide complexes
copper(II), 535
N-2-Aminoethyl-2-[(2-aminoethyl)thio]acetamide complex, cobalt(III), 1079
2-(2-Aminoethyl)pyridine complexes
copper(II), 1293
Aminophenoltriacetate complexes
Co, Mn, Ni, Zn, 2873
2-Aminophenoxide complexes
lanthanides, 2143
thorium, 1401
zirconium, 1405
Aminopolycarboxylate complexes
aluminium, 199
chromium(III), 137
Ammonia complexes
chromium(III), 119,1175
cobalt(III), 2803
Aniline complexes
aluminium, 245
Anisates
titanium(IV), 783
4-Anisolyl compounds
tellurium(IV), 943
Anthranilate complexes
thorium, 1401
zirconium, 1405,2689
Antiinflammatory drug complexes
copper, zinc, 505
Antimony
alkyls, 921
Arabinitol complexes
molybdenum(VI), 1225
Arene complexes
chromium(0), 1,53,1677
gallium(I), 283
iron(II), 1,2727
ruthenium(II), 1113
Arsenic
alkyls, 921
aryls, 2023
Arsenido complexes
gallium, 319,343
Arsine complexes
aluminium, 289
chromium(0), 1
copper(I), 1609,2919
iron(II), 2433
ruthenium(II), 863,2153
Arsinogallanes, 319
Aryls
arsenic, 2023
cobalt, 2477
gallium, 319
iridium(II,III), 2635
mercury, 2477
palladium(II), 2181
phosphorus, 681
rhenium(V),(VI),(VII), 2081
rhodium, 2477
rhodium(III), 1613
ruthenium(II), 1107,1939
tantalum(V), 963
tellurium(IV), 943
tin(IV), 125,653,2863
Arylamides
aluminium, 245,257
molybdenum, 527,619,687
tugsten, 527
2-Arylazopyridine complexes
silver(I), 2251
Arylimides
technetium(V), 1497
tungsten(IV), 603,669
Ascorbic acid, oxidation by $[Mo(CN)_8]^{3-}$, 113
Aspartate complexes
vanadium(IV), 81
Aspartate peptide complexes
copper(II), nickel(II), 825
Aspirin complexes
copper, zinc, 505
1-Azabicyclo[2.2.2]octane complexes, gallium, 343
Azide complexes
copper(II), 1257,2375,2693
ruthenium(II), 1113
Azole complexes
cadmium, 541,2437
cobalt(II),(III), 2567
copper(I), 1469,2319
copper(II), 713,2035,2981
iron(II), 2971
lanthanides, 751
rhodium(III), 2047
zinc, 1469

B

Barium
alkoxide ether silylamide complexes, 2959
cryptand complexes, 1369
organo compounds, review, 1345
Benzaldehyde complexes
aluminium, 233
Benzene complexes
chromium(0), 1,53
iron(II), 1
ruthenium(II), 1113
Benzoates
rhenium(II), 743
tin(IV), 1331
zirconium(IV), 2689
Benzoins, oxidation by $[Mo(CN)_8]^{3-}$, 2299
Benzoquinone complexes
tellurium(II), 847
Benzotriazolyl(hydro)borates
thallium(I), 63
1-Benzoylacetone complexes
lanthanides, 697
4-Benzoyl-3-methyl-1-phenylpyrazol-5-one complexes
lanthanides, 795
Benzthiazole-2-thiolates
mercury, 2717
Benzyls
tungsten(VI), 1271
zirconium, 839
Benzylidyne complexes
tungsten(VI), 1271
Benzyloxides
aluminium, 233
Bipyrimidine complexes
ruthenium(II), 1243

Bis(acetylacetone)ethylenediamine
complexes
thorium, 1401
zirconium, 1405
Bis(dialkyl)alanylmethane, 277
Bis(dimethylamino)methylarsine
complexes, aluminium, 289
Bis(dimethylphosphino)ethane
complexes
gallium, 343
iron(III), 2139
tungsten(IV), 23
Bis(dimethylphosphino)methane
complexes
osmium(II), 1107
rhenium(III), 1165
ruthenium(II), 1165
Bis(dimethylpyrazolyl)pyridazine
complexes, copper(I), 2603
1,3-Bis(dimethylstibyl)propane
complexes
copper(I), 1609
Bis(diphenylarsino)methane
complexes
rhenium(II), 573,743
rhenium(II,III), 573
Bis(diphenylphosphino)amine
complexes
rhenium(II),(II,III), 573
Bis(diphenylphosphino)cyclopenta-
diene complexes
molybdenum(0), 2469
Bis(diphenylphosphino)ethane
complexes
cadmium selenide, 1913
chromium(VI), 2625
copper(I), 2603
molybdenum(0), 2393
molybdenum(IV), 645
nickel(I), 581
nickel(II), 757
platinum(II), 987
ruthenium(II), 863,2153,2163
technetium(V), 1497
tungsten(II), 2507
1,1-Bis(diphenylphosphino)ethene
complexes, palladium(II), 2741
Bis(diphenylphosphinoethyl)phenyl-
phosphine complexes
molybdenum(IV), 545
Bis(diphenylphosphino)ethyne
complexes, Mo(II), W(II), 801
Bis(diphenylphosphino)ferrocene
complexes,
Cr(0),Mn(0),Mo(0),W(0), 2305
Bis(diphenylphosphino)methane
complexes
cadmium selenide, 1913
copper(I), 2603
iridium(II,III), 2635
nickel, 1487
nickel(0), 2651
nickel(I), 581
nickel(II), 757
palladium, 2767
palladium(II), 2741
platinum, 2767
platinum(II), 2651
rhenium(II), 565,573,743
rhenium(II,III), 573
rhenium(III), 1165
ruthenium(II), 863,2153
tungsten(II), 2135,2233,2507
Bis(diphenylphosphino)propane
complexes
molybdenum(0), 2393
tungsten(II), 2507
Bis(diphenylphosphino)pyridine
reactions and complexes,
Cr(0), Mo(0), W(0), 1757
Bis[(diphenylphosphinyl)methyl]-
phenylphosphine oxide complexes
Mo(II), W(II), 1099
1,3-Bis(diphenylstibyl)propane
complexes
copper(I), 1609
Bis(diphenylthiophosphinoyl)alkane
complexes, aluminium, 313
Bis(di-o-tolylphosphino)ethane
complexes
molybdenum(IV), 645
Bis(4-pyridyl)ethane, -ethene
complexes, iron(II), 1087
Bis(salicylaldehyde)diamine
complexes
thorium(IV), 1401
zirconium(IV), 1405
4,4'-Bis-1,2,4-triazole complex
iron(II), 2971
Bis(trimethylsilyl)amide complexes
titanium, zirconium, 1423
Bis(trimethylsilyl)imide complexes
Ba, Ca, Mg, Mn(II), Sr, 2959
Bis(trimethylsilyl)methyls
aluminium, 277
cobalt(II), 931
Blood plasma speciation modelling
aluminium, 151,163
aluminosilicates in, 193
calcium, copper, 505
gallium, indium, 151,163
zinc, 505
Book reviews
boron compounds, 147
germanium organo compounds, 1779
ligand reactions, 1621
rhenium organo compounds, 899
tin organo compounds, 897,2191
Boranes
molecular orbitals, 1035
Borane complexes
iron, 2359
Boric acid pyrogallol complexes,
789
Boron
in cluster complexes, 1955
compounds, book review, 147
enolate ethyl compound, 223
planar networks, 1901
Bromides and bromo complexes
copper(I), 981,2319
copper(II), 713,1703,2375,2443,
2463,2613,2747
gallium(II), 377
gallium(III), 207
indium(II), 377
lead(II), 2429
magnesium, 1775
mercury, 2041
molybdenum(I), 1187
molybdenum(II), 1099,1209
molybdenum(IV), 545
molybdenum(VI), 881
nickel(II), 2443
palladium(II), 2741
platinum(II), 1683

rhenium(II), 565,573,743
rhenium(II,III), 573
rhenium(III), 1131
rhenium(VI), 2081
ruthenium(VI), 1751
selenium(II), 581,1199
technetium(V), 1497
tellurium(II),(IV), 2879
tin(II), 1187
tin(IV), 1331
tungsten(I), 1187
tungsten(II), 1099
tungsten(IV), 11
uranium(III), 2175
4-Bromobenzenethiolates
chromium(VI), 779
Bromobenzoates
titanium(IV), 783
zirconium(IV), 2689
Butanediolates
molybdenum(V), 1965
Butanethiolates
iron, 1741
Butanoic acid, extraction of metals from clay surface complexes, 2273
Butanol complexes
uranium(IV), 1843
But-3-enyl complexes
tungsten(IV), 23
Butoxides
aluminium, 227,253
lithium, 227
molybdenum, 619
molybdenum(III), 2941
tungsten(III), 2941
uranium(IV), 1843
Butyls
indium, 361
niobium(V), 1051
tin(IV), 361
tungsten(II), 727
tungsten(IV), 23,727
t-Butylamides
chromium(VI), 1009,2625
osmium(VIII), 1009
Butylamine complexes
molybdenum(V), 2171
ruthenium(II), 1113
t-Butylbenzoates
yttrium, 1119
t-Butylhydroperoxide, 487
t-Butylimides
chromium(VI), 1009,2625
osmium(VIII), 1009
rhenium(V),(VI),(VII), 2081
N-Butyliminopropionyl complexes
tungsten(IV), 23
t-Butylisocyanide complexes
chromium(VI), 2625
iridium(II,III), 2635
tungsten(IV), 11
t-Butylphosphine complexes
tungsten(IV), 669
t-Butylphosphinidene complexes
osmium, 1573
3-*t*-Butylpyrazolylborate complexes
magnesium, 1775
4-*t*-Butylpyridine complexes
molybdenum(II), 1209
2-Butyne complexes
iridium(I), 1867
tungsten(II), 2135,2233,2507

C

Cadmium
acetate Schiff base thiolate complexes, 1017
alkyls, 921
alkyl diimine complex, 1483
aminoacid complexes, 665,831
aminoacid imidazole complexes, 2437
dithiolate heterobinuclear complexes, 1441
fluoride complexes, 901
mercaptopyridine mercaptothiazole complexes, 541
mercury telluride precursors, 921
nitrate pyridylpyrazole thiocyanate complexes, 2839
peptide complexes, 831
phenanthroline complexes, 2497
selenide, diphosphine, phosphine complexes, 1913
thiazolylazoresorcinol complexes, 501
thiosemicarbazide complexes, 2029
Caesium
cryptand complexes, 1369
Calcium
alkoxide ether silylamide complexes, 2959
aminoacid complexes, 665
blood serum speciation, effect of polydentate ligands, 505
chloride pyridylketonate copper((II) complexes, 2443
cryptand complexes, 1369
fluoride, hydride, 1919
organo compounds, review, 1345
Carbaboranes, 891,939
Carbaborane complexes
copper(I), gold(I), 2407
molybdenum, tungsten, 2953
1-(2-Carbamylethyl)-2-alkylimidazole complexes, Cu(II), 713,2035
Carbon, in cluster complexes, 1955
Carbonates
nickel(II), 1447
Carbon monoxide, reactions with trinuclear complexes, 2774
Carbonyls
chromium(0), 1,53,703,1479,1677,1757,2511,2579
chromium(II), 2193
clusters, review, 455
cobalt, 1783,2815
cobalt(-I), 2533
cobalt(I), 1317
copper(I), 2319
iridium(I), 893
iridium(II,III), 2635
iridium(III), 1883,2071
iron, 455,1769,1809,2359,2763,2815
iron(-II), 1127
iron(0), 1045,1337
iron(I), 1187
iron(II), 639,1849
manganese(0), 1479,2305,2579
molecular orbitals, 2001
molybdenum, 619,2763
molybdenum(0),703,1059,1479,1757,2305,2393,2469,2579,2619,2863,2901
molybdenum(I), 1187
molybdenum(II), 801,1099,2863,2901

molybdenum(III), 2469
niobium(I), 1855
osmium, 75,455,1491,1573,2385,2759
osmium(0), 1573,1867
rhenium, 623
rhenium(0), 1479
rhenium(II), 565
rhenium(III), 1131
rhodium(I), 969
rhodium(II), 2635
rhodium(III), 1141,2071
ruthenium, 455,623
ruthenium(0), 1867
ruthenium(II), 893,907,2153
semibridging, 1799
substitutions, kinetic studies, review, 1503
tungsten(0), 703,991,1217,1363, 1757,2305,2579,2887
tungsten(I), 1187
tungsten(II), 727,801,1099,2135, 2233,2507,2859
tungsten(IV), 603,727
Carboxylates
aluminium, 371
cadmium, 1017
chromium(II), 1237
cobalt(II), 2873
copper(II), 805,1667,2035,2613,2867
europium, 1411
indium, 361
iron(III), 2675
lanthanides, 1411,2143
manganese(II), 1181,2873
manganese(III), 1181,2867
molybdenum(II), 1237
neodymium, 1411
nickel(II), 1447,1729,2873
palladium(II), 2741
rhenium(II), 743
rhodium, 1589
rhodium(II), 1135
ruthenium(II), 907
ruthenium(II,III), 1723
thorium, 1401
tin(IV), 1331
titanium(IV), 783
tungsten(IV), 11
uranium(VI), 2987
yttrium, 1119,1305
zinc, 2873
zirconium, 1401,2689
Carboxylic acid complexes
aluminium, 371
copper(II), 1667
in extraction of metals from clay surface complexes, 2273
Carrier concentration, indium phosphide, 353
Catecholates
aluminium, 171
rhenium(V),(VII), 1323
silicon, 813
Cation exchange, clays, 517
CD spectra
cobalt peroxidase, 1021
copper(II) peptide complexes, 825
iron(II) carbonyl cyclopentadienyl diphosphine ether complexes, 639
peroxidase, 1021
vanadium(IV) aminoacid oxo complexes, 81,2101
Ceramic glasses, thermolysis, 1709
Cerium(III)
crown ether thiocyanate water complexes, 2371
diketonate pyrazolylborates, 697
phosphotungstates, 1249
Cerium(IV)
oxide, 1919
Chlorides and chloro complexes
aluminium, 245,309,2809
calcium, 2443
chromium(V),(VI), 2625
cobalt(II), 931,2315,2443,2839
cobalt(III), 1379
copper(I), 981,2319
copper(II), 713,1457,1703,2443, 2463,2663,2747
gallium(I), 283
gallium(II), 377
gallium(III), 207,283,353
gold(III), 893,2199
hafnium, 2185
indium, 2533
indium(II), 377
indium(III), 329,353,1297
iridium(I),(III), 893
iron(III), 1065,1695,2139
lanthanides, 479,939,1453
lead(II), 2429
magnesium, 1775,2443
mercury, 851,2041
molybdenum, 527,687,693
molybdenum(II), 1209,1855,2863
molybdenum(IV), 545,2585
molybdenum(V), 2171,2293,2585
molybdenum(VI), 881,2293
nickel(II), 757,1317,2443,2809, 2823,2839
niobium(V), 1051,2709
osmium(II), 1107
osmium(III), 2309
osmium(VIII), 1009
palladium(II), 495,851,1287,1633, 2721,2741
phosphorus(III), 553
platinum(II), 35,495,851,893,1317, 1975,2647,2651,2721
rhenium(II), 565,573,743
rhenium(II,III), 573
rhenium(III), 1131,1165
rhenium(VII), 2081
rhodium, 1589
rhodium(I), 1141
rhodium(II), 2635
rhodium(III), 1141,2127
ruthenium, 2733
ruthenium(II), 893,1107,1113,1243, 2153,2517,2733
ruthenium(II,III), 1723
ruthenium(VI), 1751
selenium(II), 589
tantalum((V), 2709
technetium(III),(V), 1497
thorium, 1645,2987
tin(II), 1187
tin(IV), 125,653,1331,2863
titanium(III), 1617
tungsten(I), 1187
tungsten(III), 669,1829
tungsten(IV), 11,669
tungsten(V), 669
tungsten(VI), 2293
uranium(IV), 69,1645
uranium(VI), 2987

halide phosphine thione complexes, 981
phosphine thione complexes, 2833
thioether binuclear macrocyclic complexes, 2911
thiolate complexes, 1155,1659
Copper(II)
acetate alkoxide amine pyridine water binucleating complexes, 2867
acetate azole oxalate sulphate complexes, 2035
acetate bromide complexes, 2613
amide amine bromide phenoxide pseudohalide thioether water complexes, 2375
amine ether tridentate cyclic complexes, 2847
amine halide tripod Schiff base complexes, 2463
aminoacid complexes, 665,2419
aminoacid imidazole pyridine Schiff base complexes, 1293
aminoalkoxides, 611
aminoethoxide thiocyanate, 535
azide dipyridylamine complex, 2693
azide pyridine complexes, 1257
azole halide perchlorate thiocyanate complexes, 713
azole Schiff base thioether thiolate complexes, 1469
blood speciation, effect of polydentate ligands and antiinflammatory drugs, 505
carboxylate carboxylic acid complex, 1667
carboxylate phenoxide quinazolone complexes, 805
chloride dithiocarbazate ester complexes, 1457
chloride oxime compllexes, 2663
in clays, 517
coordination geometry, molecular mechanics, 1277
cyanate diamine complex, 2937
diaminodihydroxy tetradentate complexes, 1593
diimine diketonate pyridine complexes, 2061
diimine macrocyclic complexes, 2239
diketonate heterobinuclear complexes, 2721
dipyridyl hydroxide pyridine complexes, 629,1241
dithiocarbamate imidazole pyridine-*N*-oxide Schiff base complexes, 2981
dithiolate heterobinuclear complexes, 1441
dithiophosphinates, 2597
halide nitrate pyridylketonate heteropolymetallic complexes, 2443
halide thiouracil complexes, 2727
halide triazene oxide binucleating complexes, 1703
hydroxycarboxylate water complexes, 1191
macrocyclic tetramine complexes, 2221,2353
methoxide squarate, 2575
peptide complexes, 825
polymeric triamine complexes, 2491
polyphosphate complexes, 511,2609
porphyrin, 2527
pyridine thiocyanate complexes, 1029
saccharinate water complexes, 1383
salicylaldimine thiocyanate heteropolymetallic complexes, 557
thioether binuclear macrocyclic complexes, 2911
thiosemicarbazide water complexes, 2029
p-Cresolates
molybdenum, 619
tin(IV), 1331
Crown amine carboxylate ether complexes
americium(III), europium(III), 2455
Crown amine ether complexes
cobalt(II), copper(II), 2847
K, Mg, Na, 1747
Crown ethers, reactions with metal silylamides, 2959
Crown ether complexes
aluminium, 409
lanthanides, 2371
Cryptand complexes
groups 1, 2, 1369
Cyanates
copper(II), 2375,2937
tin(IV), 125
Cyanides
cobalt(III), 1379
gold(I), 975
iron, 913
iron(II), 1849,2433
molybdenum(V), 113
phosphorus(III), 553
Cyanobenzoates
titanium(IV), 783
zirconium(IV), 2689
4-Cyanopyridine complexes
iron(II), 1087
platinum(II), 2647
ruthenium(II), 863,2153
4-Cyanopyridine-*N*-oxide complexes
ruthenium(II), 863
Cyclam complexes
nickel(II), 1027,1729
Cyclic voltammetry
alkali metal crown amine ether complexes, 1747
carbonyl clusters, review, 455
copper(I) azole Schiff base thioether thiolate complexes, 1469
copper(II) chloride dithiocarbazate ester complexes, 1457
copper(II) tetramine macrocyclic complex, 2353
diacetylferrocene hydrazones, 2751
gold dithiolate complex, 1561
iron dithiocarbamate nitrosyl thio thiolate thiosulphate complexes, 1741
iron(II) arene cyclopentadienyl complexes, 2727
iron(II) arsine cyanide phosphine stibine complexes, 2433
iron(II) cyclopentadienyls, 1091
manganese(II),(III) thiosalicylate complexes, 1181
manganese(III) acetate alkoxide amine pyridine binucleating complexes, 2867

ytterbium(II), 1919
zirconium, 2185,2689
Chlorobenzoates
titanium(IV), 783
zirconium(IV), 2689
3-Chloro-2,4-pentanedionates
vanadium(IV), 2483
3-Chloropyridine complexes
ruthenium, 2267
4-Chloropyridine complexes
platinum(II), 2647
Chromium(0)
arene arsine carbonyl phosphine complexes, 1
arene carbonyl complexes, 53,1677
carbonyl complexes, solvation, 2511
carbonyl diphosphine heterodinuclear complexes, 2305
carbonyl dithiolane complexes, 703
carbonyl phosphine complexes, 1479, 1757
carbonyl phosphine thioether complex, 2579
Chromium(II)
acetate molybdenum(II) compound, 1237
alkene aminocarbene carbonyl phosphine complexes, 2193
phenoxide pyridine complex, 1311
Chromium(III)
ammonia glycine complexes, 119
ammonia oxalate complexes, 1175
diketonate, 893
hydroxide nitrilotriacetate water complexes, 137
phosphinate water complexes, 1555
Chromium(V)
alkylimide chloride complex, 2625
Chromium(VI)
alkylamide alkylimide chloride diphosphine dipyridyl iminoacyl isocyanide phosphine phosphineiminato pyridine sulphonate complexes, 2625
butylimide complex, 1009
oxide, 487
oxo thiolate complex, 779
Citrates
aluminium, 171
gallium, 207
Clays
Co(III), Ni(II) complexes on surfaces, 2273
thermolysis, 517,1709
Cluster complexes
electron counting, 1985
hydride, 1955
trinuclear, 1625
Cobalt
carbonyl cyclopentadienyl, 1783
carbonyl hydride iron complexes, 2815
cyclopentadienyl dithiolates, 1123
cyclopentadienyl phosphine heterobimetallic complex, 2549
triphosphine triphosphorus mercury complexes, 2477
Cobalt(-I)
carbonyl phosphine indium complexes, 2533
Cobalt(I)
carbonyl polyphosphine nickel(II) complex, 1317
Cobalt(II)
acetone thiocyanate complexes, 1375
alkyl chloride diamine complexes, 931
amine carboxylate water complexes, 2873
amine ether tridentate cyclic complexes, 2847
aminoacid complexes, 665
chloride hydroxide nitrate pyridylpyrazole thiocyanate complexes, 2839
chloride pyridine-*N*-oxide water complex, 2315
chloride pyridylketonate copper(II) complex, 2443
dialkylphosphate complexes, 1147
diethylenetriaminepentaacetate, 99
diketonate water complexes, 2721
dithiolate heterobinuclear complexes, 1441
imidazole peptide complexes, 2567
in lead acetate glasses, 1475
peroxidase, 1021
saccharinate water complexes, 1383
salicylaldimine thiocyanate heteropolymetallic complexes, 557
thiosemicarbazide complexes, 2029
Cobalt(III)
amide amine thioether tetradentate nitrite complexes, 1079
amine ammonia hydroxide nitrite complexes, 2803
ammonia complex, 1175
chloride cyanide diamine diimine nitrite sulphite thiourea water complexes, 1379
complexes on clay surface, 2273
ethylenedibiguanide methionine complexes, 2245
imidazole peptide peroxide superoxide complexes, 2567
nitrite valinate complex, 2149
peroxidase, 1021
Conformational analysis
copper(II) aminoacid complexes, 2419
diphosphine complex, 2796
Copper
indium sulphide, 361
Copper(I)
acetonitrile iodide osmium complexes, 75
amine carbonyl halide complexes, review, 2319
amine halide tripod Schiff base complexes, 2463
amine Schiff base complex, 739
arsine distibine phosphine stibine complexes, 1609
arsine nitrile phosphine thioether binuclear macrocyclic complexes, 2919
azole Schiff base thioether thiolate complexes, 1469
carbaborane phosphine complexes, 2407
diphosphine phosphinopyridine tetraimine binuclear complexes, 2603
dithiocarbamate thiolate indium complex, 361

mercury amine thioether macrocyclic complex, 2931
molybdenum arylamide chloride nitrosyl pyrazolylborate complexes, 527
molybdenum arylamide halide nitrosyl phenoxide pyrazolylborate complexes, 687
molybdenum chloride diamide nitrosyl pyrazolylborate complexes, 693
molybdenum(VI) aminothiophenoxide dicarboxylate dithiocarboxylate halide hydroxyquinoline oxo thiocyanate thiosemicarbazide complexes, 881
nickel(II) carboxylate dithiocarbamate macrocyclic tetramine thiocarboxylate xanthate complexes, 1729
osmium(III) chloride diketonate methanol phosphine complexes, 2309
rhenium(II) carbonyl diphosphine halide phosphine complexes, 565
rhenium(II) carboxylate diarsine diphosphine halide complexes, 743
rhenium(II),(II,III) diarsine diphosphine halide complexes, 573
rhenium(VII) catecholate oxo complexes, 1323
rhodium(II),(II,III) carboxylate water complexes, 1135
rhodium(III) amine thioether macrocyclic complex, 2925
rhodium(III) aryl dipyridyl pyridine cyclometallated complex, 1613
ruthenium(II) arsine cyclopentadienyl diphosphine phosphine pyridine pyridine-*N*-oxide complexes, 863
vanadium(IV) diketonate oxo pyrazolylborate complexes, 2483
Cycloarsane, 319
Cyclobutadiene complexes
molybdenum(II), 1855
3-Cyclobutene-1,2-dione-3,4-diolates
copper(II), 2575
Cycloheptatrienyl complexes
molybdenum, 2953
Cyclohexadienyl complexes
rhenium(V), 2081
Cyclohexanone, solvent extraction by, 1717
Cyclohexene
epoxidation by Th(IV) peroxide complexes, 1401
epoxidation by Zr(IV) peroxide complexes, 1405
epoxidation catalysed by CrO_3, 487
Cyclohexenylenolates
Al,B,Ga,Zn, 223
Cyclohexylamine complexes
platinum(II), 2647
Cyclohexylxanthates
nickel(II), 1341
Cyclometallated complexes
aluminium, 245,257
iridium(III), 1883
niobium(V), 1051
palladium(II), 1287,2741
rhenium(VI), 2081
rhodium(III), 1613
tantalum(V), 1051
1,5-Cyclooctadiene complexes
iridium(I), 969
rhodium(I), 1141
Cyclooctatetraene complexes
Ba, Ca, Sr, 1358
Cyclopentadienyls
barium, calcium, 1349
cobalt, 1123,1783,2549
gallium, 2763
hafnium, 301,2185
iridium(III), 1883
iron, 1783,2763
iron(I), 1187
iron(II), 1,639,1091,1849,2727
lanthanides, 479,875,1453,2143
manganese(I),(II), 921
molybdenum, 2763
molybdenum(II), 1855,2901
molybdenum(III), 2469
nickel(I), 581
niobium(I), 1855
rhenium(III), 1131
rhenium(V), 2211
rhodium, 1123
ruthenium, 1783
ruthenium(II), 863,1893,2153,2163
strontium, 1349
titanium(IV), 783,2097
tungsten, 1491
tungsten(II), 2859
tungsten(III),(V), 669
uranium(IV), 69
zirconium, 301,839,2185,2689
Cyclopentadienyldiphenylphosphine complexes, molybdenum(0), 2469
Cyclopolyphosphates
copper(II), 511
Cymene complexes
ruthenium(II), 1113
Cysteine complexes
cadmium, 831
vanadium(IV), 2101
Cysteine ester complexes
cadmium, 831
mercury, 597
Cytochrome *c* complex
platinum(II), 1975

D

DC voltammetry
copper(II) chloride dithiocarbazate ester complexes, 1457
4-Decylanilido complexes
molybdenum, 687
Desferrioxamine complexes
aluminium, 171
Diacetylbenzene complexes
copper(II), zinc, 1293
Diacetylferrocene hydrazones, 2751
Dialkylcarbamoyl complexes
germanium, 227
Dialkylphosphate complexes
cobalt(II), 1147
Diamido complexes
molybdenum, 693
2,2'-Diamidodiethylether complexes
molybdenum, 693

1,3-Diamidopropane complexes
molybdenum, 693
Diamine complexes
cobalt(II), 931
cobalt(III), 1379
copper(I), 2319
copper(II), 611,2937
iridium(III), 2071
lithium, 931
rhodium(III), 2071
Diarsine complexes
rhenium(II), 573,743
rhenium(II,III), 573
1,4-Diazacyclo[2.2.2]octane
complexes, gallium, 343
Diazenide complexes
technetium(III),(V), 1497
Dibenzo-24-crown-8 complexes
lanthanides, 2371
Dibenzotetraazacyclotetradecine
complexes,
ruthenium(0), 1221
tungsten(0), 1217
Dibenzoylmethanide complexes
aluminium, gallium, 215
lanthanides, 697
Dibenzylideneacetone complexes
Pd(0), Pt(0), 1949
Di-*t*-butylaniline complexes
aluminium, 245
Di-*t*-butylcatecholates
rhenium(VII), 1323
Di-*t*-butyldiphosphine, 669
Di-*n*-butyldithiocarbamates
copper(I), 361
Di-*t*-butyl-4-methylphenoxides
aluminium, 233,239,301
Di-*t*-butylphosphido complexes
osmium, 1573
Di-*t*-butylphosphine complexes
osmium, 1573
Di-*t*-butylquinone complexes
ruthenium, 2267
1,2-Dicarba-*closo*-decaborane(12),
nucleoside, 891
7,8-Dicarba-*nido*-nonaborane(11)-
(1-) complexes
copper(I), gold(I), 2407
1,1-Dicarboethoxy-2,2-ethylenedith
iolate complexes
heterobinuclear, 1441
Dicarboxylates
chromium(III), 1175
copper(II), 2035
molybdenum(VI), 881
platinum(II), 1975
Dichlorocatecholate complexes
silicon, 813
Di(*p*-chlorophenyl)triazenides
Ir,Os,Rh,Ru, 1741
1,4-Dicyanobenzene complexes
ruthenium(II), 2153
1,4-Dicyanobutene complexes
ruthenium(II), 2153
Dicyclohexylamine complexes
gallium, 343
Dicyclohexylphosphido complexes
osmium, 1573
Diene complexes
iridium(I), 969
Pd(0), Pt(0), 1949
rhodium(I), 1141
Diethylamido complexes
Nb(V), Ta(V), 2709
Diethylamine complexes
molybdenum(V), 2171
Diethylaminocarbyne, 727
Diethylaminopropyl complexes
gallium, indium, 353
Diethylbenzamide complexes
lithium, 227
N,N-Diethyl-*N'*-*t*-butyldiaminoeth-
yne complexes, W(II), 727
Diethyldithiocarbamates
iron, 1741
nickel(II), 1729
rhodium(II), 2013
Diethylenetriamine complexes
cobalt(III), 2803
Di(2-ethylhexyl)phosphoric acid
complexes, cobalt(II), 1147
Diethyl(phenyl)phosphine complexes
tungsten(II), 2233
Differential pulse polarography
copper(II) dipyridyl hydroxide
pyridine complexes, 629
platinum(II) cytochrome *c*
dipicolinate complex, 1975
ruthenium(II) acetonitrile
chloride diimine nitrite
phosphine complexes, 1243
Difluorobiphenyl complexes
chromium(0), 1
iron(II), 1
Dihydrodiphosphate, rearrangement,
1363
Diimine complexes
cadmium, 1483,2497
chromium(VI), 2625
cobalt(III), 1379
copper(II), 629,2061,2239
lanthanides, 2285
lead, 2497
molybdenum(0), 1059,2863
molybdenum(I), 1187
molybdenum(II), 2863
nickel(I), 581
palladium(II), 1633
rhodium(III), 1613
ruthenium, 2267
ruthenium(II), 893,1243,1939
tin(IV), 125
tungsten(0), 1217
tungsten(I), 1187
Diketonates
aluminium, 215,409
chromium(III), 893
cobalt(II), 2721
copper(II), 2061,2721
Ga, In, 215
lanthanides, 697,751
molybdenum(VI), 1011
nickel(II), 2721,2823
osmium(III), 2309
palladium(II), 1287
scandium, 215
tungsten(IV), 11
vanadium(IV), 1397,1603,2483
yttrium, 1305
Diketone complexes
lanthanides, 795
Dimercaptosuccinic acid ester
complexes, mercury, 597
Dimethoxyphenyls
phosphorus(V), 681
3,3-Dimethylacrylate

ruthenium(II), 907
1,3-Dimethylallyl complexes
tungsten(IV), 23
Dimethylamido complexes
aluminium, 253,257
gallium, 257
molybdenum(III), 1821
tantalum(V), 2709
Dimethylamine complexes
aluminium, 253
Dimethylaminoalkyl complexes
gallium, indium, 353
4-Dimethylaminobenzoates
yttrium, 1119
Dimethylamino(dimethyl)arsine
complexes, aluminium, 289
2-Dimethylaminoethanethiolates
zinc, 763
2-Dimethylaminoethoxide,
i-propoxide, copper(II), 611
N-Dimethylaminoethyl-*N*-methyl-2-
aminoethoxide, copper(II), 611
2,3-Dimethylanthraquinone
complexes, Te(II), 847
Dimethylarsenide complexes
gallium, 343
3,3-Dimethyl-1-butyne complexes
tantalum(V), 2709
5,6-Dimethyl-1,3-dihydro-2-tell-
uraindane, 847
Dimethyldithiocarbamate complexes
iron, 1741
rhodium(II), 2013
Dimethylethylenediamine complexes
copper(II), 2937
Dimethylformamide complexes
tin(IV), 125
Dimethyldithiocarbamate complexes
nickel(II), 1729
Dimethylglyoximates
rhodium(III), 2047
2,6-Dimethylphenoxides
tantalum(V), 963,2709
Dimethyl(phenyl)phosphine
complexes,
chromium(VI), 2625
iridium(I), 1867
iridium(III), 1883
niobium(III), 1689
platinum, 1561
platinum(II), 987,2659
rhenium(III), 1165
tungsten(II), 2233
tungsten(IV), 603
3-(Dimethylphenyl)silyl-2-pyrid-
inethiolate complexes
silver(I), 1429
Dimethylpiperidine complexes
gallium, 343
Dimethylsilylbis(cyclopentadienyl)
complexes, zirconium, 301
Dimethylsulphoxide complexes
tin(IV), 125
vanadium(IV), 1397
N,N-Dimethylthiophenecarbothio-
amide complexes,
palladium(II), 1287
N,N-Dimethylvaline complexes
copper(II), 2419
Dinitrocatecholate complexes
silicon, 813
Dinitrogen, reduction, 645
Dinitrogen complexes
tungsten(IV), 669
Diphenylacetylene complexes
nickel(I), 581
niobium(I), 1855
tantalum(V), 2709
tungsten(IV), 603
Diphenylamido complexes
aluminium, 257
1-Diphenylarsino-2-diphenylphos-
phinoethane complexes,
rhenium(III), 1165
Diphenylketoimine complexes
titanium(IV), 2097
2,6-Diphenylphenol complexes
iridium(I), 969
2,6-Diphenylphenoxides
iridium(I), 969
niobium(V), 1051
rhodium(I), 969
tantalum(V), 1051
titanium(III), 1617
Diphenylphosphido complexes
molybdenum, 2953
molybdenum(II), 2901
molybdenum(III), 2469
tungsten, 2953
Diphenylphosphine complexes
gallium, 335
Diphenylphosphinoferrocene
complexes, tungsten(II), 2233
2-Diphenylphosphinopyridine
complexes,
copper(I), 2603
rhodium(II), 2635
1,3-Diphenyl-1,3-propanedionate
complexes
osmium(III), 2309
vanadium(IV), 2483
Diphenyl(propenyl)phosphine
complexes, tungsten(II), 2233
Diphenyl(tetramethylcyclopentadi-
enyl)phosphine complexes
molybdenum(0), 2901
Diphenyltriazenide complexes
Ir,Os,Rh,Ru, 1737
1,4-Diphosphadiene, formation of
W(0) complex from, 1363
Diphosphines, 669
reactions with trinuclear
complexes, 2780
Diphosphine complexes
cadmium selenide, 1913
chromium(0), 2305
chromium(VI), 2625
copper(I), 2603
gallium, 343
iridium(II,III), 2635
iron(II), 639
manganese(0), 2305
molybdenum(0), 2305,2393,2469
molybdenum(II), 801
molybdenum(IV), 645
nickel, 1487
nickel(0), 2651
nickel(II), 757
osmium(II), 1107
palladium, 2767
palladium(II), 2741
platinum, 2767
platinum(II), 35,987,2651
rhenium(II), 565,573,743
rhenium(II,III), 573
ruthenium(II), 863,1107,2153,
2163
technetium(V), 1497

tungsten(0), 2305
tungsten(II), 801,2135,2233, 2507
tungsten(IV), 11
Diphosphoglycerates
aluminium, zinc, 189
Dipicolinate complexes
platinum(II), 1975
Di-*i*-propylamide complexes
gallium, 343
Di-i-propylamine complexes
molybdenum(V), 2171
Dipropyldithiocarbamate complexes
iron, 1741
2,6-Di-*i*-propylphenoxides
tantalum(V), 963,2709
2,2′-Dipyridyl complexes
cadmium, 1483
chromium(VI), 2625
cobalt(III), 1379
copper(II), 629,2061,2239
molybdenum(0), 1059
molybdenum(I), 1187
nickel(I), 581
palladium(II), 1633
rhodium(III), 1613
ruthenium, 2267
ruthenium(II), 893,1939
tin(IV), 125
tungsten(I), 1187
4,4′-Dipyridyl complexes
iron(II), 1087
2,2′-Dipyridylamide complexes
manganese(II), 2699
2,2′-Dipyridylamine complexes
copper(II), 2693
Mo(I), W(I), 1187
Di(2-pyridylethyl)sulphide complexes, Pt(II), 1975
Disulphide complexes
cadmium, 831
molybdenum(IV),(V), 2585
1,4-Dithiins, conversion to dithiolates, 1123
3,3′-Dithiobis(2,4-pentanedionate) complexes
vanadium(IV), 1397
Dithiocarbamates
copper(I), 361
iron, 1741
lanthanides, 859
nickel(II), 1729
rhodium(II), 2013
Dithiocarbazate ester complexes
copper(II), 1457
Dithiocarbazate Schiff base complexes, copper(II), 2981
Dithiocarboxylates
molybdenum(VI), 881
1,3-Dithiolane complexes
Cr(0), Mo(0), W(0), 703
Dithiolates
cobalt, 1123
gold, 1561
heterobinuclear, 1441
molybdenum, 2965
nickel, palladium, 2053
platinum, 1561,2053
rhodium, 1123
Dithionate complexes
nickel(II), 2809,2823
Dithiophosphates
tellurium(IV), 943
Dithiophosphinates
copper(II), nickel(II), 2597
Di(*p*-tolyl)triazenides
Ir,Os,Rh,Ru, 1737
Dodecyl-4-0xobenzoates
molybdenum, 687
Dysprosium
aminophenoxide carboxylate cyclopentadienyl hydroxyquinolate complexes, 2143
azole diketonate complex, 751
chloride cyclopentadienyl ether complexes, 479
chloride phenoxide water complexes, 939
crown ether thiocyanate water complex, 2371
diketone nitrate complexes, 795
nitrate Schiff base complexes, 2019
phenanthroline polyketonate complexes, 2285
phosphotungstates, 1249

E

Electric conductance
aminophenoltriacetate complexes, 2873
chromium(VI) alkylimide dipyridyl pyridine sulphonate complexes, 2625
cobalt(II) acetone thiocyanate complexes, 1375
cobalt(III) ethylenedibiguanide methionine complexes, 2245
copper(I) diphosphine phosphinopyridine tetraimine binuclear complexes, 2603
copper(II) amine halide tripod Schiff base complexes, 2463
copper(II) aminoacid imidazole pyridine Schiff base complexes, 1293
dithiolate complexes, 1441
iron(III) chloride thiohydrazide thiohydrazone complexes, 1065
lanthanide dithiocarbamate complexes, 859
lanthanide ketoaminophenol complexes, 1639
mercury methyl thioaminoacid ester complexes, 597
molybdenum(VI) diketonate oxime oxo Schiff base complexes, 1011
palladium(II), platinum(II) aminotelluroether chloride complexes, 851
rhenium(II) carbonyl chloride diphosphine phosphine complexes, 565
rhenium(II,III) diarsine diphosphine halide complexes, 573
ruthenium(II) arsine cyclopentadienyl diphosphine phosphine pyridine pyridine-*N*-oxide complexes, 863
ruthenium(II,III) carboxylate chloride ether phosphine oxide pyridine complexes, 1723

thorium chloride Schiff base water complexes, 2987
uranium(VI) acetate chloride hydroxide oxo Schiff base water complexes, 2987
zinc aminoacid Schiff base complex, 1293
Electric conductance (solid state)
molybdenum(VI) oxo thiazolylthiourea complexes, 2449
palladium, platinum dithiolates, 2053
Electrochemistry, carbonyl clusters, review, 455
Electron counting, cluster complexes, 1985
Electron density
arene complexes, 1
Electron diffraction
vanadium(IV) diketonate oxo complex, 1603
Electron mobility, indium phosphide, 353
Electronic spectra
alkali metal germyls, 2263
aminophenoltriacetate complexes, 2873
cadmium acetate Schiff base thiolate complexes, 1017
cadmium thiazolylresorcinol complexes, 501
chromium(III) hydroxide nitrilotriacetate water complexes, 137
chromium(VI) oxo thiolate complex, 779
cobalt(II) acetone thiocyanate complexes, 1375
cobalt(I) azole peptide complexes, 2567
cobalt(II) chloride hydroxide nitrate pyridylpyrazole thiocyanate complexes, 2839
cobalt(II) diethylenetriaminepentaacetate, 99
cobalt(II) diketonate water complexes, 2721
cobalt(II) in lead acetate glasses, 1475
cobalt(II) phthalocyanine, 1021
cobalt(II) salicylaldimine thiocyanate heteropolymetallic complexes, 557
cobalt(III) azole peptide peroxide superoxide complexes, 2567
cobalt(III) complexes on clay surfaces, 2273
cobalt(III) ethylenedibiguanide methionine complexes, 2245
cobalt(III) phthalocyanine, 1021
copper(I) azole Schiff base thioether thiolate complexes, 1469
copper(I) thiolate complexes, 1155,1659
copper(II) acetate azole oxalate sulphate complexes, 2035
copper(II) acetate bromide complexes, 2613
copper(II) amide amine bromide phenoxide pseudohalide thioether water complexes, 2375
copper(II) amine halide tripod Schiff base complexes, 2463
copper(II) aminoethoxide thiocyanate, 535
copper(II) azide dipyridylamine complex, 2693
copper(II) azole halide perchlorate thiocyanate complexes, 713
copper(II) carboxylate phenoxide quinazolone complexes, 805
copper(II) chloride dithiocarbazate ester complexes, 1457
copper(II) chloride oxime complexes, 2663
copper(II) diimine diketonate pyridine complexes, 2061
copper(II) diketonate heterobinuclear complexes, 2721
copper(II) dithiocarbazate imidazole pyridine-*N*-oxide Schiff base complexes, 2981
copper(II) halide triazene oxide binucleating complexes, 1703
copper(II) hydroxycarboxylate water complexes, 1191
copper(II) macrocyclic tetramine complexes, 2221
copper(II) methoxide squarate, 2575
copper(II) peptide complexes, 825
copper(II) polymeric triamine complexes, 2491
copper(II) polyphosphate complexes, 511
copper(II) porphyrin, 2527
copper(II) salicylaldimine thiocyanate heteropolymetallic complexes, 557
copper(II) thioether binuclear macrocyclic complexes, 2911
enzyme inhibition by nitroprusside, 913
group I,II metal crown amine ether complexes, 1747
iron(II) amine thioether macrocyclic complex, 2641
iron(II) phthalocyanine pyridine complexes, 1087
iron(III) chloride phosphine phosphine oxide complexes, 1695
iron(III) chloride thiohydrazide thiohydrazone complexes, 1065
iron(III) phthalocyanine, 1021
lanthanide chloride phenoxide water complexes, 939
lanthanide dithiocarbamate complexes, 859
lanthanide ketoaminophenol complexes, 1639
lanthanide phenanthroline polyketonate complexes, 2285
manganese(II) dipyridylamide complex, 2693
manganese(II),(III) thiosalicylate complexes, 1181
molybdenum dithiolate pyrazolylborate thiocyanate complex, 2965
molybdenum(II) halide pyridine complexes, 1209
molybdenum(VI) aminothiophen-

oxide dicarboxylate dithiocarboxylate halide hydroxyquinoline oxo thiocyanate thiosemicarbazide complexes, 881
molybdenum(VI) oxo thiazolylthiourea complexes, 2449
neodymium hydroxide perchlorate, 659
nickel dithiolates, 2053
nickel(II) aminoethanol thiocyanate complex, 535
nickel(II) carboxylate dithiocarbamate macrocyclic tetramine thiocarboxylate xanthate complexes, 1729
nickel(II) chloride hydroxide nitrate pyridylpyrazole thiocyanate complexes, 2839
nickel(II) complexes on clay surfaces, 2273
nickel(II) diketonate water copper(II) complexes, 2721
nickel(II) peptide complexes, 825
nickel(II) salicylaldimine thiocyanate heteropolymetallic complexes, 557
nickel(II) Schiff base thiolate complexes, 1017
osmium(III) chloride diketonate methanol phosphine complexes, 2309
palladium dithiolates, 2053
palladium(0) dibenzylideneacetone complex, 1949
palladium(II) aminotelluroether chloride complexes, 495,851
peroxidase, 1021
phosphiniminocyclotrithiazenes, 1433
platinum dithiolates, 2053
platinum(0) dibenzylideneacetone complex, 1949
platinum(II) aminoacid chloride cytochrome dipicolinate dipyridyl thioether complexes, 1975
platinum(II) aminotelluroether chloride complexes, 495,851
phenyl-2-picolylketonate polymetallic complexes, 2443
polyphosphate complexes, 2609
rhenium(II),(II,III) diarsine diphosphine halide complexes, 573
rhenium(III) chloride phosphine complexes, 1165
rhodium(II) carboxylate water complexes, 1135
rhodium(II) dithiocarbamate phosphine complexes, 2013
rhodium(II,III) carboxylate water complexes, 1135
rhodium(III) aryl dipyridyl pyridine cyclometallated complex, 1613
rhodium(III) carbonyl chloride telluroether complexes, 1141
ruthenium(II) acetonitrile chloride diimine nitrite phosphine complexes, 1243
ruthenium(II) arsine carbonyl chloride cyclopentadienyl diphosphine hydride nitrile phosphine pyridine complexes, 2153
ruthenium(II) arsine cyclopentadienyl diphosphine phosphine pyridine pyridine-*N*-oxide complexes, 863
ruthenium(III) edta mercaptopyrimidine water complexes, 2681
ruthenium(II) water complex, 1095
ruthenium(II,III) carboxylate chloride ether phosphine oxide pyridine complexes, 1723
saccharinate complexes, 1383
silver(I) pyridine complexes, 2251
tellurium(II) alkyl quinone complexes, 847
thorium chloride Schiff base water complexes, 2987
tin(IV) tetraselenide complex, 1389
tungsten(0) amine carbonyl nitrile phosphine pyridine Schiff base complexes, 2887
tungsten(I) carbonyl diimine halide iron(I) tin(II) complexes, 1187
uranium(IV) alcohol alkoxide oxo complexes, 1843
uranium(VI) acetate chloride hydroxide oxo Schiff base water complexes, 2987
vanadium(IV) aminoacid oxo complexes, 2101
vanadium(IV) aspartate oxo complexes, 81
vanadium(IV) diketonate oxo pyrazolylborate complexes, 2483
vanadium(IV) diketonate oxo pyridine sulphoxide complexes, 1397
yttrium pyridine Schiff base macrocyclic complex, 475
zinc Schiff base thiolate complexes, 1017
Electrophiles, reactions with trinuclear complexes, 2784
Enolates
Al, B, Ga, Zn, 223
Enstatite, 517
Enthalpy of activation
bond rotation, aminophosphines, 2619
fluxionality, dithiolane complexes, 703
fluxionality, spirophosphorane, 1463
methyl exchange, Al - Hf/Zr compounds, 301
pyrolysis, chromium(III) ammonia complex oxalate, 1175
redox, benzoin - $[Mo(CN)_8]^{3-}$, 2299
substitution, chromium(III) ammonia glycine complexes, 119
substitution, ruthenium(III) edta water complex, 2681
Entropy of activation
bond rotation, aminophosphines,

2619
fluxionality, dithiolane complexes, 703
methyl exchange, Al - Hf/Zr compounds, 301
pyrolysis, chromium(III) ammonia complex oxalate, 1175
redox, benzoin - $[Mo(CN)_8]^{3-}$, 2299
substitution, chromium(III) ammonia glycine complexes, 119
substitution, ruthenium(III) edta water complex, 2681
Entropy of formation
monohalide complexes, 2257
Enzyme inhibition by
nitroprusside, 913
Epoxidation, cyclohexene, 1401, 1405
Erbium
chloride cyclopentadienyls, 1453
chloride cyclopentadienyl ether complex, 479
crown ether thiocyanate water complexes, 2371
diketonate pyrazolylborate compounds, 697
nitrate Schiff base complexes, 2019
phenanthroline polyketonate complexes, 2285
phosphotungstates, 1249
Erythritol complexes
molybdenum(VI), 1225
ESR spectra
cobalt(II) alkyl chloride diamine complexes, 931
cobalt(III) imidazole peptide superoxide complexes, 2567
copper(II) acetate azole oxalate sulphate complexes, 2035
copper(II) amide amine bromide phenoxide thioether complexes, 2375
copper(II) amine halide tripod Schiff base complexes, 2463
copper(II) azide dipyridylamine complex, 2693
copper(II) azole halide perchlorate thiocyanate complexes, 713
copper(II) azole Schiff base thioether thiolate complex, 1469
copper(II) carboxylate phenoxide quinazolone complexes, 805
copper(II) chloride oxime complexes, 2663
copper(II) chloride thiouracil complex, 2747
copper(II) in clays, 517
copper(II) diaminodihydroxy tetradentate complexes, 1593
copper(II) dithiophosphinates, 2597
copper(II) halide triazene oxide binucleating complexes, 1703
copper(II) hydroxycarboxylate complexes, 1191
copper(II) peptide complexes, 825
copper(II) saccharinate water complexes, 1383
iron nitrosyl thiolate complexes, 1741
iron(II) azole thiocyanate complex, 2971
iron(III) chloride phosphine phosphine oxide complexes, 1695
iron(III) diaminodihydroxy tetradentate complexes, 1593
lithium diethylbenzamide radical anion, 227
manganese(II) dipyridylamide complex, 2699
nickel(I) alkyne cyclopentadienyl dipyridyl phosphine complexes, 581
osmium(III) chloride diketonate phosphine complexes, 2309
rhenium(II,III) diarsine diphosphine halide complexes, 573
rhenium(VI) bromide oxo cyclometallated complexes, 2081
rhodium(II) dithiocarbamate phosphine complexes, 2013
ruthenium(III) methyl complex, 2071
tellurium(II) quinone complexes, 847
titanium(III) chloride pheoxide complex, 1617
vanadium(IV) aminoacid oxo complexes, 2101
vanadium(IV) aspartate oxo complexes, 81
vanadium(IV) diketonate oxo pyrazolylborate complexes, 2483
vanadium(IV) in glazes, 999
Ester complexes
aluminium, 409
Ethanedithiolates
platinum, 1561
Ethanethiolates
copper(I), 1155
iron, 1741
Ethene complexes
tungsten(IV), 23
Ether complexes
aluminium, 409
barium, calcium, 2959
cobalt(II), copper(II), 2847
gallium, 2763
iron(II), 639
lanthanides, 479
magnesium, manganese(II), 2959
nickel(II), 2847
niobium(V), 2709
ruthenium(II,III), 1723
strontium, 2959
tantalum(V), 2709
zinc, 2847
Ethoxides
aluminium, 309
molybdenum, 619
molybdenum(V), 1965
ruthenium(II), 1113
tungsten, 2953
Ethyls
aluminium, 223,233,2809
boron, 223
gallium, 353
germanium, 227,2263
indium, 353

tungsten(IV), 11,23
zinc, 223
Ethylamine complexes
ruthenium(II), 1113
Ethyldiphenylphosphine complexes
cadmium selenide, 1913
tungsten(II), 2233
Ethylenediamide complexes
molybdenum, 693
Ethylenediamine complexes
cobalt(III), 1379
Ethylenediaminetetraacetates
calcium, copper, 505
hafnium, 2705
ruthenium(III), 2681
zinc, 505
Ethylenedibiguanide complexes
cobalt(III), 2245
Ethylene glycolates
molybdenum(V), 1965
Ethylsulphonate complexes
palladium(II), 1633
Ethyltetramethylcyclopentadienyl
complexes, rhenium(V), 2211
Ethylxanthate complexes
nickel(II), 1729
Ethyne complexes
tungsten(IV), 603
Europium
acetate hexamine macrocyclic
complex, 1411
azole diketonate complex, 751
chloride phenoxide water
complexes, 939
crown amine carboxylate ether
complexes, 2455
crown ether thiocyanate water
complexes, 2371
diketonate nitrate complexes,
795
diketonate pyrazolylborate
compounds, 697
dithiocarbamate complexes, 859
ketoaminophenol complex, 1639
nitrate Schiff base complexes,
2019
phenanthroline polyketonate
complexes, 2285
phosphotungstates, 1249
EXAFS
copper(II) methoxide squarate,
2575
Extended Huckel calculations
boranes, 2359
carbaborane, 2407
iridium(I) alkyne phosphine and
osmium(0), ruthenium(0) alkyne
carbonyl complexes, 1867
metallaboranes, 2359
palladium, platinum trinuclear
complexes, 2767

F

Fenske, R.F., 1781
Fenske - Hall calculations
cyclopentadienyl carbonyl
nitrosyl complexes, 1783
iron carbonyl vinylidene
complexes, 1809
molybdenum(IV),(V) chloride
disulphide thio polynuclear
complexes, 2585
ruthenium(II) dipyridyl
pyridinoaryl complexes, 1939
semibridged complexes, 1799
tungsten(III) alkoxide chloride
oxo complexes, 1829
"two - legged piano stool"
complexes, 2001
Fischer - Tropsch catalysis, 2815
Fluorescence spectra
copper(I) thiolate complexes,
1155
ketoaminophenol, 1639
lanthanide phenanthroline
polyketonate complexes, 2285
neodymium hydroxide perchlorate,
659
palladium(0), platinum(0)
dibenzylideneacetone
complexes, 1949
ruthenium(II) acetonitrile
chloride diimine nitrite
phosphine complexes, 1243
Fluorides and fluoro complexes
cadmium, 901
calcium, 1919
germanium, 1263
lead(II), 2429
magnesium, 1919
tin(IV), 1331
uranium(VI), 47
zinc, 901
zirconium, 1653
Fluorobenzoates
titanium(IV), 783
zirconium(IV), 2689
Fluxionality
aluminium methyl
pyrazolylborate, 265
butyne complexes, 2233
chromium(0) arene carbonyl
complexes, 53
dithiolane complexes, 703
mechanisms, 2221
spirophosphorane, 1463
Force constants
gallium(II), indium(II) halide
complexes, 377
Formates
rhodium(II), 1135
tin(IV), 1331
Formation constants
alkali, alkaline earth cryptand
complexes, 1369
aluminium catechol citrate
desferrioxamine hydroxide
complexes, 171
aluminium diphosphoglycerate
complexes, 189
aluminium hydroxide
nitrilotriacetate water
complexes, 199
americium(III) crown amine
carboxylate ether complexes,
2455
boric acid pyrogallol complexes,
789
cadmium aminoacid azole
complexes, 2437
cadmium aminoacid, peptide
complexes, 825
cadmium fluoride complexes, 901
cadmium phenanthroline
complexes, 2497

cadmium thiazolylazoresorcinol complexes, 501
copper(II) acetate bromide complexes, 2613
copper(II) azide pyridine complexes, 1257
copper(II) diimine macrocyclic complexes, 2239
copper(II) dipyridyl hydroxide pyridine complexes, 629
copper(II) hydroxycarboxylate water complexes, 1191
copper(II) peptide complexes, 831
copper(II) polyphosphate complexes, 511
europium(III) crown amine carboxylate ether complexes, 2455
germanium fluoride hydroxide complexes, 1263
hafnium edta complex, 2705
iron(III) sulphosalicylate complexes, 2675
lanthanide chloride phenoxide water complexes, 939
lead(II) halide complexes, 2429
lead(II) phenanthroline complexes, 2497
leucine, serine complexes, 665
manganese(II),(III) thiosalicylate complexes, 1181
mercury phenoxide complexes, 1537
molybdenum(VI) alditol oxo complexes, 1225
monohalide complexes, 2257
nickel(II) peptide complexes, 825
polyphosphate complexes, 2609
thiosemicarbazide complexes, 2029
tridentate amine ether ligand complexes, 2847
vanadium(IV) aminoacid oxo complexes, 2101
vanadium(IV) aspartate oxo complexes, 81
zinc diphosphoglycerate complexes, 189
zinc fluoride complexes, 901
Free energy of activation
bond rotation, aminophosphines, 2619
fluxionality, butyne complexes, 2233
fluxionality, dithiolane complexes, 703
methyl exchange, Al - Hf/Zr compounds, 301
redox, benzoin - $[Mo(CN)_8]^{3-}$, 2299
substitution, chromium(III) ammonia glycine complexes, 119
Furanaldazine complexes
thorium(IV), uranium(VI), 2987

G

Gadolinium
azole diketonate complex, 751
chloride cyclopentadienyls, 1453
chloride phenoxide water complexes, 939
crown ether thiocyanate water complex, 2371
diketone nitrate complexes, 795
dithiocarbamate complexes, 859
nitrate Schiff base complexes, 2019
phenanthroline polyketonate complex, 2285
phosphotungstates, 1249
Galacticol complexes
molybdenum(VI), 1225
Gallium(I,III)
arene chloride complex, 283
Gallium(II)
halides, review, 377
Gallium(III)
alkyl aminoalkyl chloride complexes, 353
alkyl cyclopentadienyl ether iodide pyridine heterobinuclear complexes, 2763
alkyl diphenylphosphine complexes, 335
alkylamide amine arsenido diphosphine methyl phosphido complexes, 343
arsenido methyl phenyl compounds, 319
in blood plasma, 151,163
citrate halide phosphate sulphate water complexes, 207
diketonates, 215
dimethylamide, 257
enolate methyl compound, 223
Germanium
alkoxide hydrides, 2189
alkyl alkali metal compounds, 2263
alkyl iron(II) complexes, 773
dialkylcarbamoyl ethyl, 227
fluoride hydroxide complexes, 1263
organo compounds, book review, 1779
pyridine iron(-II) complex, 1127
Glasses and glazes, iron(II),(III) and vanadium(IV) in, 999
Glucitol complexes
molybdenum(VI), 1225
Glyceraldehyde-3-phosphate dehydrogenase, 913
Glycine complexes
cadmium, 2437
chromium(III), 119
Glycine glycoside complexes
iron(III), 2895
Glycylalanine, glycylglycine complexes
cobalt(II),(III), 2567
Gold
dithiolate complex, 1561
Gold(I)
carbaborane phosphine complexes, 2407
cyanide complex, 975
Gold(III)
chloride complex, 2199
chloride terpyridine complex, 893

H

Hafnium
  chloride cyclopentadienyl pyrazolylborate complex, 2185
  cyclopentadienyl methyl compounds, 301
  edta hydroxide water complexes, 2705
Hectorite, 517,2273
Heteropolymolybdates, 2023
Heteropolytungstate complexes
  lanthanides, 1249
Heteropolyvanadates, 143
Hexafluorobutyne complexes
  Os(0), Ru(0), 1867
Hexafluoropentanedionates
  aluminium, gallium, 215
  osmium(III), 2309
Hexafluoro-*i*-propoxides
  germanium, 2189
1-Hexene
  conversion to alcohols, use of rhodium(I) complex, 1235
  hydrogenation and isomerization catalysed by aluminohydride complexes, 387
Histamine complexes
  copper(II), 1293
Histidine methyl ester complexes
  copper(II), 1293
Holmium
  aminophenoxide carboxylate cyclopentadienyl hydroxyquinolate complexes, 2143
  azole diketonate complex, 751
  chloride cyclopentadienyl, 1453
  crown ether thiocyanate water complexes, 2371
  diketonate pyrazolylborate, 697
  nitrate Schiff base complexes, 2019
  phenanthroline polyketonate complexes, 2285
  phosphotungstates, 1249
Horseradish peroxidase, reactions with phthalocyanines, 1021
Hueckel theory, Kagome nets, 1901
Hydrazide complexes
  molybdenum(IV), 545
  technetium(V), 1497
Hydride, reaction with trinuclear complexes, 2778
Hydrides and hydro complexes
  aluminium, review, 387
  calcium, 1919
  clusters, 1955
  cobalt, 2815
  germanium, 2189
  iron, 2815
  molybdenum(IV), 645
  osmium, 1491,1573,2759
  rhodium(I), 1235
  ruthenium(II), 1107,2153
Hydrotris(pyrazolyl)borates
  aluminium, 265
  hafnium, 2185
  lanthanides, 697
  magnesium, 1775,2655
  molybdenum, 527,619,687,693,2965
  molybdenum(V), 1965
  thorium, 1645
  tungsten, 527
  uranium, 69
  uranium(IV), 1645
  vanadium(IV), 2483
  zirconium(IV), 2185
Hydroxides and hydroxo complexes
  aluminium, 171,199
  boron, 789
  chromium(III), 137
  cobalt(II), 2839
  cobalt(III), 2803
  copper(II), 629
  germanium, 1263
  hafnium(IV), 2705
  iron(III), 2895
  neodymium, 659
  nickel(II), 2839
  rhenium(VII), 2081
  tin(IV), 1331
  titanium(IV), 2097
  uranium(VI), 2987
Hydroxycarboxylates
  aluminium, 171
  copper(II), 1191
  gallium, 207
1-(2-Hydroxyphenyl)propanedionates
  Co, Cu, Ni, Pd, Pt, 2721
Hydroxypyridone complexes
  aluminium, 409
Hydroxypyrone complexes
  copper(II), 2061
Hydroxyquinoline complexes
  aluminium, 409
  lanthanides, 2143
  molybdenum(VI), 881
Hypophosphorous acid, tautomers, 1071

I

Imidazole complexes
  cadmium, 2437
  cobalt(II),(III), 2567
  copper(II), 1293,2981
  lanthanides, 751
Imidazolinethione complexes
  copper(I), 981
Iminoacyl complexes
  chromium(VI), 2625
  tungsten(IV), 23
  zirconium, 839
Indium(II)
  halides, review, 377
Indium(III)
  alkoxide oxo compound, 719
  alkyls, 921
  alkyl aminoalkyl chloride complexes, 353
  alkyl carboxylate oxo thiolate copper(I) complexes, 361
  blood plasma speciation, 151,163
  chloride phosphine cobalt complexes, 2533
  chloride phospholyl complex, 329
  chloride porphyrin, 1297
  diketonates, 215
  phosphide, 353
  tin oxide [ITO], 361
INDO calculations
  iron(II) carbonyl cyanide cyclopentadienyl complexes, 1849
  molybdenum(II) chloride cyclobutadiene cyclopentadienyl complex, 1855

niobium(I) alkyne carbonyl cyclopentadienyl complex, 1855
Inelastic neutron scattering
osmium carbonyl hydride, 2759
Iodides and iodo complexes
copper(I), 75,981,2319
gallium(II), 377
gallium(III), 2763
indium(II), 377
lead(II), 2429
molybdenum, 619,687
molybdenum(I), 1187
molybdenum(II), 801,1099
nickel, 1487
platinum(II), 2647
rhenium(III), 1131
tin(II), 1187
tin(IV), 1331
tungsten(I), 1187
tungsten(II), 727,801,1099,2135, 2233,2507
tungsten(IV), 11,727
Iodobenzoates
titanium(IV), 783
zirconium(IV), 2689
IR spectra
alcohol complexes, 1843,2309
alkenyl complexes, 907
alkoxides, 371,2189,2575
alkoxycarbonyl complexes, 1131
alkyls, 301,343,597,2763
alkylamides, 1009
alkylimides, 603
alkyne complexes, 603,727,2135, 2233,2507
amide complexes, 125,2375,2699
amine complexes, 495,851,881, 2171,2641,2931
aminoacid complexes, 119,1293, 1975,2245,2895
aminoacid ester complexes, 597
aminoalcohol complexes, 535
aminophenoxides, 2143
aminothiolate, 763
ammonia complexes, 119,1175
aryls, 2181
arylamides, 245,527,687
arylazopyridine complexes, 2251
arylimides, 603
azide complexes, 1113,2375,2693
azole complexes, 751,2981
bis(diphenylphosphino)pyridine and derivatives, 1757
bromides, 881,1099,1703,1751, 2041,2443,2463,2741
carbonates, 1447
carbonyls, 565,603,727,801,907, 969,1045,1059,1099,1131,1141, 1187,1479,1491,1573,1677,1757, 1883,2135,2153,2193,2233,2305, 2469,2507,2533,2579,2815,2859, 2863,2887,2901
carboxylates, 371,783,907,1017, 1119,1305,1447,1723,2035,2143, 2693,2741,2987
carboxylic acids, 371
carbyne complex, 727
catecholates, 813,1323
chlorides, 495,603,653,851,1065, 1113,1141,1165,1243,1287,1457, 1633,1695,1703,1751,1829,1975, 2081,2163,2171,2309,2443,2463, 2663,2721,2733,2741,2823
crown amine ether, 1747
crown ether cmplexes, 2371
cyanates, 125,2375,2937
cyclopentadienyls, 479,783,1453, 2143,2689
diamide complexes, 693
diaminodihydroxy tetradentate complexes, 1593
dicarboxylates, 1175,1447
dienen complexes, 1141
diimine complexes, 125,1243,2285
diketonates, 751,795,1011,1305, 1397,2061,2309,2721,2823
dithio- compounds, 1397
dithiocarbamates, 859,881,1729, 2013
dithiocarbazate ester complexes, 1457
dithiolates, 1441,1561,2965
dithionates, 2823
dithiophosphates, 943
ether complexes, 479
ethylenedibiguanide complexes, 2245
fluorides, 1653
hexafluorophosphates, 565,573
hydrates, 475,1633,1639,2463, 2693,2699
hydrides, 2153,2189
hydroxides, 659,2895
hydroxyquinolates, 2143
iminoacyl complexes, 23,2625
isocyanide complexes, 1487,2135, 2663
ketoaminophenol complex, 1639
ketoimine complex, 2097
maltol complexes, 2309
nitrates, 475,795,2019,2443,2839
nitrile complexes, 2153,2887
nitrites, 1243,2375,2591
nitrosyls, 527,687,1741,2081, 2733
oxime complexes, 1011,2663
oxo complexes, 371,779,881,1011, 1323,1397,1541,1653,1751,1829, 2081,2293,2449,2483,2549,2895, 2987
perchlorates, 659,1639,1729, 2251,2981
peroxides, 1653
phenol complexes, 653
phenoxides, 557,687,939,2171, 2375
phosphine complexes, 669,1141, 1243,2823
phosphine oxide complexes, 1099, 1723
phosphiniminato complexes, 2625
phosphiniminocyclotrithiazenes, 1433
phosphinothioformate, 2163
phthalocyanines, 1087
polyketone complexes, 2285
polyphosphines, 35
pyrazolylborates, 63,265,687, 693,1119,2483
pyridine complexes, 475,863, 1087,1723,1975,2251
pyridine-*N*-oxide complexes, 863,2981
pyridylketonate complexes, 2443
quinazolone complexes, 805
quinone complexes, 851

salicylaldimines, 557
Schiff bases, 653
Schiff base complexes, 475,527, 557,1011,1017,1293,2019,2463, 2741,2981,2987
selenium - nitrogen complexes, 1567
silylthiolates, 1659
sulphates, 1633
sulphonates, 1633
sulphoxide complexes, 125,1397
sulphur dioxide complexes, 1633
telluroether complexes, 495,851, 1141,2041
tetramine complexes, 1729
tetrafluoroborates, 1723,2181, 2641
tetraselenide, 1389
thiazolylthiourea complexes, 2449
thio compounds, 2293
thioamide complexes, 1287
thiocyanates, 535,557,713,881, 2371,2375,2839,2965
thioether complexes, 2721
thiohydrazide, thiohydrazone complexes, 1065
thiolates, 597,779,1017,1155, 1659
thiomorpholine complex, 1045
thione complexes, 981,2833
thiosemicarbazide complexes, 2029
thiouracil complexes, 2747
triazenides, 1737
triphosphinomethanides, 2181
tropolonates, 2309
violurates, 2733
water complexes, 2371,2375,2721
xanthate, 1341,1729
Iridium(I)
alkyne phosphine complex, 1867
carbonyl chloride phosphine complex, 893
diene phenol phenoxide complexes, 969
Iridium(II,III)
alkenediyl carbonyl diphosphine isocyanide phenyl complex, 2635
Iridium(III)
alkyl carbonyl cyclpentadienyl phosphine thiolate cyclometallated complexes, 1883
carbonyl diamine methyl complexes, 2071
chloride thioether complexes, 893
triazenides, 1737
Iron
borane carbonyl complexes, 2359
carbide carbonyl nitride phosphine thio cluster complexes, review, 455
carbonyl cluster complexes, 1769
carbonyl cyclopentadienyl gallium complexes, 2763
carbonyl hydride cobalt complexes, 2815
carbonyl vinylidene complexes, 1809
cyanide nitrosyl complex, 913
cyclopentadienyl nitrosyl complexes, 1783
dithiocarbamate nitrosyl thio thiolate thiosulphate complexes, 1741
nitrosyl thio complexes, 2399
Iron(-II)
carbonyl germanium complex, 1127
Iron(0)
carbonyl phosphine silyl complexes, 1337
carbonyl thioether complex, 1045
Iron(I)
carbonyl cyclopentadienyl tin(II) heteropolymetallic complexes, 1187
Iron(II)
amine thioether macrocyclic complex, 2641
arene cyclopentadienyl complexes, 1,2727
arsine cyanide phosphine stibine complexes, 2433
azole thiocyanate complex, 2971
carbonyl cyanide cyclopentadienyl complexes, 1849
carbonyl cyclopentadienyl diphosphine ether complexes, 639
carbonyl cyclopentadienyl germyl complexes, 773
cyclopentadienyls, 1091,2751
cyclopentadienyl heteropolymetallic complexes, 557,2233
in glasses, glazes, 999
phthalocyanine pyridine complexes, 1087
polyphosphate complex, 2609
saccharinate water complexes, 1383
Iron(III)
chloride diphosphine complexes, 2139
chloride phosphine phosphine oxide complexes, 1695
chloride thiohydrazine thiohydrazone complexes, 1065
diaminodihydroxy tetradentate complexes, 1593
in glasses, glazes, 999
glycine glycoside hydroxide oxo complexes, 2895
phthalocyanine, 1021
sulphosalicylate complexes, 2675
Isocyanides, reactions with trinuclear complexes, 2776
Isocyanide complexes
chromium(VI), 2625
iridium(II,III), 2635
nickel, 1487
nickel(0), platinum(II), 2651
tungsten(II), 727,2135
tungsten(IV), 11,727
Isomerism, iron carbonyl cluster complexes, 1769
Isonicotinate complexes
rhenium(II), 743
Isopolymolybdates, 1717

K

Kagome nets, theory and topology, 1901
Ketoaminophenol complexes
europium, terbium, 1639

Ketoimine complexes
titanium(IV), 2097
Ketone complexes
aluminium, 233
cobalt(II), 1375
copper(II), 2747
Kinetic studies
alkene dimerisation catalysis, 2809
enzyme inhibition by nitroprusside, 913
exchange reactions, Rh(III) methyl oxime complexes, 2047
pyrolysis, chromium(III) ammonia complex oxalate salt, 1175
redox, ascorbic acid - $[Mo(CN)_8]^{3-}$, 113
redox, benzoin - $[Mo(CN)_8]^{3-}$, 2299
redox, Co(II) polyaminepolycarboxylate - periodate, 99
solvation, Cr(0) carbonyls, 2511
substitutions, aluminium diketonates, 215
substitutions, carbonyls, review, 1503
substitution, chromium(III) hydroxide nitrilotriacetate water complexes, 137
substitutions, gallium, indium diketonates, 215
substitutions, ruthenium(III) edta water complex, 2681
substitutions, scandium diketonates, 215
tautomerization, hypophosphorous acid, 1021

L

Lanthanides
aminophenoxide carboxylate cyclopentadienyl hydroxyquinolate complexes, 2143
azole diketonate complexes, 751
chloride cyclopentadienyls, 1453
chloride cyclopentadienyl ether complexes, 479
chloride phenoxide complexes, 939
crown ether thiocyanate water complexes, 2371
cyclopentadienyl ylide complexes, 875
diketonate pyrazolylborate compounds, 697
diketone nitrate complexes, 795
dithiocarbamate complexes, 859
nitrate pyridylketonate copper(II) complexes, 2443
nitrate schiff base complexes, 2019
phenanthroline polyketonate complexes, 2285
phosphotungstates, 1249
Lanthanum
chloride cyclopentadienyl, 1453
chloride cyclopentadienyl ether complexes, 479
chloride phenoxide complexes, 939
crown ether thiocyanate water complexes, 2371
diketonate pyrazolylborate compounds, 697
diketone nitrate complexes, 795
dithiocarbamate complexes, 859
nitrate pyridylketonate copper(II) complexes, 2443
phenanthroline polyketonate complexes, 2285
phosphotungstate, 1249
Laponite, 517,1709
Lead(II)
acetate glasses, Co^{2+}, Ni^{2+} in, 1475
aminoacid complexes, 665
dithiolate heterobinuclear complexes, 1441
halide complexes, 2429
phenanthroline complexes, 2497
Leucine complexes
Ca,Cd,Co,Cu,Mg,Ni,Pb,Zn, 665
Ligand reactions
book review, 1621
diketonate, 2061
Ligand synthesis
amino(aminothio)amides, 1079
aminophenoltriacetate, 2873
aminotelluroethers, 495,851
crown amine ether, 1747
cyclopentadienyls, 479,1091
cyclopentadienylphosphines, 2901
diketone - thioether, 2721
diphosphinopyridine, 1757
ketoaminophenol, 1639
macrocyclic tetramine, 2221
oxadiazacycloalkane, 2847
oximes, 2663
polyphosphines, 35
porphyrin, 2527
pyrazolylborates, 63
pyridine schiff base macrocycle, 475
tetradentate Schiff base, 1469
thiadiazolidinethiones, 1017
triamine polymers, 2491
triselenophosphonate, 987
Lithium
butoxides, diethylbenzamide, 227
cryptand complexes, 1369
diamine complex, 931
germyls, 2263
tetrakis(trimethylsilyl)aluminate, 277
Lutetium
crown ether thiocyanate water complexes, 2371
diketonate pyrazolylborate compounds, 697
nitrate Schiff base complexes, 2019
phenanthroline polyketonate complexes, 2285
Lutidine complexes
molybdenum(II), 1209
platinum(II), 2647
Lysidine, interaction with gold(I) complex, 975

M

Macrocyclic complexes
copper(I), 2911
copper(II), 2221,2239,2353,2911, 2919

europium, 1411
iron(II), 2641
mercury, 2931
neodymium, 1411
nickel(II), 1027,1729,2221
rhodium(III), 2935
ruthenium(0), 1221
tetramines, review, 2553
yttrium, 475
Magnesium
aminoacid complexes, 665
chloride nitrate pyridylketonate copper(II) complexes, 2443
crown amine ether complex, 1747
cryptand complexes, 1369
ether silylamide complexes, 2959
fluoride, 1919
halide methyl pyrazolylborate complexes, 1775
polyphosphate complex, 2609
pyrazolylborate siloxide, 2655
reactions with ferrocene derivatives, 1091
Magnetic moments
cobalt(II) amine carboxylate water complexes, 2873
cobalt(II) chloride hydroxide nitrate pyridylpyrazole thiocyanate complexes, 2839
cobalt(II) diketonate water complexes, 2721
cobalt(II) dithiolate hetero-binuclear complexes, 1441
cobalt(II) salicylaldimine thiocyanate heteropolymetallic complexes, 557
cobalt(II) thiosemicarbazide complexes, 2029
copper(II) acetate alkoxide amine pyridine water binucleating complexes, 2867
copper(II) acetate azole oxalate sulphate complexes, 2035
copper(II) amide amin bromide phenoxide pseudohalide thio-ether water complexes, 2375
copper(II) aminoacid imidazole pyridine Schiff base complexes, 1293
copper(II) aminoethoxide thiocyanate, 535
copper(II) azide dipyridylamine complex, 2693
copper(II) azole halide perchlorate thiuocyanate complexes, 713
copper(II) carboxylate phenoxide quinazolinone complexes, 805
copper(II) chloride dithiocarbazate ester complexes, 1457
copper(II) chloride oxime complexes, 2663
copper(II) chloride thiouracil complex, 2747
copper(II) diketonate heterodi-nuclear complexes, 2721
copper(II) dithiolate hetero-binuclear complexes, 1441
copper(II) halide nitrate pyridylketonate heterometallic complexes, 2443
copper(II) halide triazene oxide binucleating complexes, 1703
copper(II) salicylaldimine thiocyanate heteropolymetallic complexes, 557
copper(II) thiosemicarbazide complexes, 2029
iron(II) azole thiocyanate complex, 2971
iron(III) chloride phosphine phosphine oxide complexes, 1695
iron(III) chloride thiohydrazide thiohydrazone complexes, 1065
manganese(II) acetonitrile phenoxide complex, 1311
manganese(II) amine carboxylate water complexes, 2873
manganese(III) acetate alkoxide amine pyridine binucleating complexes, 2867
nickel(II) amine carboxylate water complexes, 2873
nickel(II) aminoethanol thiocyanate complex, 535
nickel(II) chloride hydroxide nitrate pyridylpyrazole thiocyanate complexes, 2839
nickel(II) diketonate water copper(II) complexes, 2721
nickel(II) salicylaldimine thiocyanate heteropolymetallic complexes, 557
nickel(II) Schiff base thiolate complexes, 1017
nickel(II) thiosemicarbazide complexes, 2029
osmium(III) chloride diketonate methanol phosphine complexes, 2309
rhenium(II,III) diarsine diphos-phine halide complexes, 573
rhodium(II) dithiocarbamate phosphine complexes, 2013
ruthenium(II,III) carboxylate chloride ether phosphine oxide pyridine complexes, 1723
saccharinate complexes, 1383
titanium(III) chloride phenoxide complex, 1617
tungsten(IV) chloride phosphine complex, 669
uranium(IV) alkoxide oxo complexes, 1843
vanadium(IV) diketonate oxo pyridine sulphoxide complexes, 1397
Maleonitriledithiolates
cobalt, 1123
gold, 1561
nickel, palladium, 2053
platinum, 1561,2053
rhodium, 1123
Malonates
molybdenum(VI), 881
Maltol complexes
aluminium, 409
osmium(III), 2309
Mandelates
rhodium(II), 1135
Manganese(0)
carbonyl diphosphine complexes, 2305
carbonyl phosphine thioether

complex,2579
carbonyl phosphinopyridine complex, 1479
Manganese(I)
alkyl carbonyl cyclopentadienyls, 921
Manganese(II)
acetonitrile phenoxide complex, 1311
amine carboxylate water complexes, 2873
cyclopentadienyls, 921
dipyridylamide complex, 2699
ether silylamide complexes, 2959
saccharinate water complexes, 1383
thiosalicylate complexes, 1181
Manganese(III)
acetate alkoxide amine pyridine binucleating complexes, 2867
thiosalicylate complexes, 1181
Mannitol complexes
molybdenum(VI), 1225
Mass spectra
aluminium methyl phenoxide, 239
aminodiarsines, -diphosphines, 2413
cadmium mercaptopyridine mercaptothiazole complexes, 541
chromium(VI) butylimide complex, 1009
cobalt(-I) carbonyl phosphine indium complexes, 2533
copper(I) dithiocarbamate thiolate indium complex, 361
copper(I) thiolate, 1659
copper(II) diimine macrocyclic complexes, 2239
gallium alkylamide arsenido methyl compounds, 343
germanium alkoxide hydrides, 2189
hafnium cyclopentadienyl methyl compounds, 301
indium chloride phosphine cobalt complexes, 2533
indium chloride porphyrin, 1297
iron(0) carbonyl thioether complex, 1045
iron(II) amine thioether macrocyclic complex, 2641
lanthanide aminophenoxide carboxylate cyclopentadienyl hydroxyquinolate complexes, 2143
lanthanide chloride cyclopentadienyl ether complexes, 479
macrocyclic ligand, 475
mercury amine thioether macrocyclic complex, 2931
molybdenum arylamide chloride nitrosyl pyrazolylborate complexes, 527
molybdenum chloride diamide nitrosyl pyrazolylborate complexes, 693
molybdenum dithiolate pyrazolylborate thiocyanate complex, 2965
osmium(VIII) alkylamide alkylimide chloride oxo complexes, 1009
rhenium aryl butylimide nitrosyl complex, 2081
rhodium(III) amine thioether macrocyclic complex, 2925
scandium alkoxide oxo compound, 719
tungsten(II) alkyne carbonyl iodide isocyanide complexes, 727
tungsten(IV) allyl complexes, 11, 23
tungsten(IV) carbonyl carbyne iodide isocyanide complex, 727
vanadium(IV) diketonate oxo pyridine sulphoxide complexes, 1397
ytterbium, yttrium alkoxide oxo compounds, 719
zirconium cyclopentadienyl methyl compounds, 301
Mercaptoacetic acid complexes
mercury, 2717
2-Mercaptobenzoates
manganese(II),(III), 1181
Mercaptobenzothiazole complexes
cadmium, 541
Mercaptoethanol complexes
mercury, 2717
Mercaptopropionic acid complexes
mercury, 2717
Mercaptopropionylglycine complexes
cadmium, 831
Mercaptopyridine complexes
cadmium, 541
Mercaptopyrimidine complexes
ruthenium(III), 2681
Mercury
alkyls, 921
amine thioether macrocyclic complex, 2931
aminotelluroether chloride complexes, 851
cadmium telluride precursors, 921
cyclopentadienyl thiocyanate heteropolymetallic complexes, 557
halide telluroether complexes, 2041
methyl phenyl triphosphorus heterodinuclear complexes, 2477
methyl thioaminoacid - ester complexes, 597
methylhydantoin complex, 1765
phenoxide complexes, 1537
thiolates, thiophenoxide, 2717
Mesityls
rhenium(VII), 2081
Mesitylene selenoxide complexes
Mo(III), W(III), 2941
Methanethiolate complexes
iron, 1741
Methanol complexes
osmium(III), 2309
Methionine complexes
cobalt(III), 2245
platinum(II), 1975
Methionine methyl ester complexes
platinum(II), 1975
Methoxides
copper(II), 2575
molybdenum, 619

molybdenum(V), 1965
rhenium(V), 615
tin(IV), 1331
2-Methoxyethylcyclopentadienyls
lanthanides, 1453
Methyls
aluminium, 223,233,239,245,257,
265,289,301,313,371,2205
cobalt, 2477
exchange reactions, 301
gallium, 223,319,343,353
germanium, 2263
hafnium, 301
indium, 353
iridium(III), 2071
magnesium, 1775
mercury, 597,2477
niobium(V), 1051
rhodium, 2477
rhodium(III), 2047,2071
ruthenium(III), 2071
tantalum(V), 1051
tin(IV), 2863
titanium, 1423
tungsten(IV), 11
zirconium, 301,1423
Methylallyls
nickel(II), 757
tungsten(IV), 23
Methylamine complexes
platinum(II), 2647
4-Methylbenzyls
Nb(V), Ta(V), 1051
Methylcyclopentadienyls
gallium, molybdenum, 2763
ruthenium(II), 2163
titanium(IV), 783
Methyldiphenylphosphine
complexes,
iridium(III), 1883
molybdenum(IV), 545
nickel(II), 1341
platinum(II), 987
ruthenium(0), 1221
tungsten(II), 2233
Methylene complexes
molybdenum, tungsten, 2953
Methylenebis(diphenylphosphine
oxide) complexes,
Mo(II), W(II), 1099
4-Methylesculetin complexes
lanthanides, 939
1-Methylhydantoin complexes
mercury, 1765
Methylimidazole complexes
rhodium(III), 2047
Methylisocyanide complexes
nickel, 1487,2651
platinum(II), 2651
4-Methoxyphenoxides
zirconium, 2185
4-Methylphenylamides
molybdenum, 619
1-Methylpiperidine-4-thiolates
silver, 769
4-(4'-Methyl-2'-thiazolylazo)-2-
methylresorcinol complexes,
cadmium, 501
Methyl thioglycolate complexes
iron, 1741
Microwave dielectric loss heating,
synthetic applications, 893
MNDO calculations
polyhedral boranes,
metalloboranes, 2359
MOCVD precursors, cadmium mercury
telluride, 921
Moessbauer spectra
iron(0) carbonyl thioether
complex, 1045
iron(II) arene cyclopentadienyl
complexes, 2727
iron(II) cyclopentadienyls, 2751
iron(II),(III) in glasses,
glazes, 999
iron(III) chloride thiohydrazide
thiohydrazone complexes, 1065
iron(III) diaminodihydroxy
tetradentate complexes, 1593
Molecular mechanics
copper(II) aminoacid complexes,
1277,2419
Molecular orbitals
boranes, 1045,2359
carbaborane, 2407
cobalt carbonyl
cyclopentadienyl, 1783
iridium(I) alkyne phosphine
complex, 1867
iron carbonyl vinylidene
complexes, 1809
iron cyclopentadienyl nitrosyl,
1783
iron(II) carbonyl cyanide
cyclopentadienyl complexes,
1843
Kagome nets, 1901
metallaboranes, 2359
molybdenum(II) chloride cyclo-
butadiene cyclopentadienyl
complex, 1855
molybdenum(IV),(V) chloride
disulphide thio polynuclear
complexes, 2585
niobium(I) alkyne carbonyl
cyclopentadienyl complex, 1855
osmium(0) alkyne carbonyl
complex, 1867
palladium, platinum trinuclear
complexes, 2773
ruthenium cyclopentadienyl
nitrosyl, 1783
ruthenium(0) alkyne carbonyl
complex, 1867
ruthenium(II) dipyridyl
pyridinoaryl complexes, 1939
S_4N_4, 1935
semibridged complexes, 1799
sulphur - nitrogen compounds,
107
triatomic molecules, 1919
trinuclear clusters, 1625
tungsten(III) alkoxide chloride
oxo complexes, 1829
"two - legged piano stool"
complexes, 2001
Molecular rearrangements, 2221
Molybdenum
alkoxide arylamide carbonyl
iodide nitrosyl phenoxide
pyrazolylborate complexes, 619
alkoxycarbene alkylidyne
carbaborane cycloheptatrienyl
methylene phosphido tungsten
complexes, 2953
arylamide chloride nitrosyl

pyrazolylborate complexes, 527
arylamide halide nitrosyl phenoxide pyrazolylborate complexes, 687
carbonyl cyclopentadienyl gallium complex, 2763
chloride diamide nitrosyl pyrazolylborate complexes, 693
dithiolate pyrazolylborate thiocyanate complex, 2965
Molybdenum(0)
carbonyl diphosphine complexes, 2393,2469
carbonyl diphosphine heterodinuclear complexes, 2305
carbonyl dipyridyl phosphine complexes, 1059
carbonyl dithiolane complexes, 703
carbonyl phosphine complexes, 1479,2619,2901
carbonyl phosphine piperidine complexes, 1757
carbonyl phosphine thioether complex, 2579
Molybdenum(I)
carbonyl diimine halide tin(II) iron(I) complexes, 1187
Molybdenum(II)
acetate chromium(II) compounds, 1237
carbonyl diphosphinoethyne iodide complexes, 801
carbonyl halide phosphine oxide complexes, 1099
carbonyl cyclopentadienyl phosphido complex, 2901
chloride cyclobutadiene cyclopentadienyl complex, 1855
halide pyridine complexes, 1209
Molybdenum(III)
alkoxide selenophenoxides, 2941
carbonyl cyclopentadienyl oxo phosphido complex, 2469
Molybdenum(IV)
chloride disulphide thio complexes, 2585
diphosphine hydride complexes, 645
halide hydrazide phosphine triphosphine complexes, 545
thio water complex, 1671
Molybdenum(V)
alkoxide oxo pyrazolylborate complexes, 1965
amine chloride phenoxide complexes, 2171
chloride disulphide polynuclear complexes, 2585
chloride oxo thio compounds, 2293
cyanide complex, 113,2299
Molybdenum(VI)
alditol oxo complexes, 1225
aminothiophenoxide dicarboxylate dithiocarboxylate halide hydroxyquinoline oxo thiocyanate thiosemicarbazide complexes, 881
dichlorodioxo, 2293
hetropolyanion, 2023
isopolyanions, 1717
nitrilotriacetate oxo polyalkoxide triethanolamine complexes, 1541
oxo thiazolylthiourea complexes, 2449
oxo tripod phosphine oxide cobalt(0) complex, 2549
Monohalide complexes, 2257
Morpholine-4-carbodithioates lanthanides, 859
MOVPE, indium phosphide, 353

N

1,4-Naphthaquinone complexes tellurium(II), 847
Neodymium
acetate hexamine macrocyclic complex, 1411
chloride cyclopentadienyl, 1453
chloride cyclopentadienyl ether complexes, 479
crown ether thiocyanate water complexes, 2371
cyclopentadienyl ylide complexes, 875
diketonate pyrazolylborate, 697
diketone nitrate complexes, 795
dithiocarbamate complexes, 859
hydroxide perchlorate, 659
nitrate pyridylketonate copper(II) complexes, 2443
nitrate Schiff base complexes, 2019
phenanthroline polyketonate complexes, 2285
phosphotungstates, 1249
Neopentyls
rhodium(IV), 2071
Nickel
diphosphine iodide isocyanide complex, 1487
dithiolate complexes, 2053
Nickel(0)
diphosphine isocyanide platinum(II) complex, 2651
Nickel(I)
alkyne cyclopentadienyl dipyridyl phosphine complexes, 581
allyl chloride diphosphine phosphine complexes, 757
Nickel(II)
alkoxide amine pyridine water binucleating complexes, 2867
amine carboxylate water complexes, 2873
amine ether tridentate cyclic complexes, 2847
aminoacid complexes, 665
aminocarbene carbonate carboxylate phosphine complexes, 1447
aminoethanol thiocyanate complex, 535
carboxylate dithiocarbamate macrocyclic tetramine thiocarboxylate xanthate complexes, 1729
chloride dithionate phosphine complexes, 2809,2823
chloride hydroxide nitrate pyridylpyrazole thiocyanate complexes, 2839

chloride polyphosphine Co(I), Pt(II) complexes, 1317
clay surface - adsorbed complexes, 2273
diketonate polymeric complexes, 2823
diketonate water copper(II) complexes, 2721
dithiolate heterobinuclear complexes, 1441
dithiophosphinates, 2597
halide nitrate pyridylketonate copper(II) complexes, 2443
in lead acetate glasses, 1475
macrocyclic tetramine complexes, 2221
peptide complexes, 825
phosphine xanthate complex, 1341
polymeric triamine complexes, 2491
polyphosphate complex, 2609
saccharinate water complexes, 1383
salicylaldimine thiocyanate heteropolymetallic complexes, 557
Schiff base thiolate complexes, 1017
tetramine macrocyclic complex, 1027
thiosemicarbazide complexes, 2029
Niobium(I)
alkyne carbonyl cyclopentadienyl complex, 1855
Niobium(III)
phosphine thio thiolate complexes, 1689
Niobium(V)
alkyl chloride phenoxide cyclometallated complexes, 1051
alkylamide chloride ether complexes, 2709
aluminium oxide, 367
oxide, 367
Nitrates
cadmium, 2839
calcium, 2443
cobalt(II), 2839
cobalt(III), 1079
copper(II), 2443
lanthanides, 795,2019,2443
magnesium, 2443
nickel(II), 2443,2839
platinum(II), 2647
silver(I), 1429,2127
thorium, 491
uranium(VI), 2443
yttrium, 475
zinc, 2839
Nitrile complexes
copper(I), 75
manganese(II), 1311
ruthenium(II), 1243,2153
sodium, 957
tungsten((0), 2887
tungsten(VI), 2293
Nitrilotriacetate complexes
aluminium, 199
chromium(III), 137
molybdenum(VI), 1541
Nitrite complexes
cobalt(III), 1379,2149,2803
copper(II), 2375
palladium(II), 2591
ruthenium(II), 1243
tin(IV), 1331
Nitrobenzoates
titanium(IV), 783
yttrium, 1119
zirconium(IV), 2689
Nitrocatecholates
silicon, 813
Nitrogen - selenium complexes
platinum(II), 1567
Nitrophenoxides
copper(II), 2375
mercury, 1537
zirconium, 2185
Nitrophenyls
arsenic(V), 2023
Nitroprusside, enzyme inhibition, 913
Nitrosyls
iron, 913,1741,1783,2399
molecular orbitals, 2001
molybdenum, 527,619,687,693
rhenium, 2081
rhodium, 1589
ruthenium, 1783,2733
tungsten, 527
NMR (^{1}H) spectra
agostic hydrogens, 23
alkenyl complexes, 907
alkoxides, 233,371,719,1829, 1843,2941,2959
alkoxycarbonyl complexes, 1131
alkyls,11,23,265,277,289,343, 353,371,839,1051,1483,2071, 2263,2477
alkylamides, 1009,2081,2625,2709
alkylidene complexes, 1491
alkylidyne complexes, 1271
alkylimides, 603,1009,2625
alkyne complexes, 603,727,2135, 2233,2597
allyls, 11,23
amide complexes, 125
amidothiophenoxides, 2211
amine complexes, 289,495,739, 2647
aminoacid complexes, 1293,1975
aminoalkyls, 353
aminocarbene complexes, 1447
aminodiarsines, aminodiphosphines, 2413
aminotelluroether complexes, 851
aminothiolate, 763
aniline complex, 245
arene complexes, 1113,1677
arsenido complexes, 343
arsine complexes, 289,1609,2153
arsinogallanes, 319
aryls, 125,943,963,1107,1613, 2081
arylamides, 527,687
arylazopyridine complexes, 2251
arylimides, 603
carbaboranes, 943
carboxylates, 371,743,783,1119, 1331,1411,2741
carboxylic acid complexes, 371
carbyne complexes, 727
catecholates, 813,1323
cyclometallated complexes, 245,

1883
cyclopentadienyls, 479,581,669, 773,783,839,863,875,1131,1883, 1893,2153,2163,2305,2469,2689, 2901
diamide complexes, 693
diarsine complexes, 573,743
diimine complexes, 1483,1613, 2285
diketonates, 697,1011,1305
diphosphadiene, 1363
diphosphine, 669
diphosphine complexes, 565,573, 743,1107,2135,2233,2305,2469, 2507,2603,2741
dipicolinate complexes, 1975
distibine complexes, 1609
dithiocarbamates, 2013
dithiolane complexes, 703,1441, 2965
dithiophosphates, 943
ether complexes, 479,1723
hydrides, 1107,1491,1573
iminoacyls, 839
isocyanide complexes, 2135,2651
ketoaminophenol, 1639
macrocyclic complexes, 1411, 2641,2931
methylene complex, 2953
nitrile complexes, 2153
oxadiazacycloalkane, 2847
oxime complexes, 1011
phenol complexes, 653
phenoxides, 687,839,963,969,1617
phosphido complexes, 343,1573, 2469,2901
phosphiniminocyclotrithiazenes, 1433
phosphine complexes, 11,565,603, 1165,1573,1609,1883,2013,2135, 2153,2469,2579,2901
phosphine oxide complexes, 1099
phosphinidene complexes, 1573
phosphinopyridine complexes, 2603
phosphinothioformate complexes, 2163
phosphite complexes, 1893
phosphonium salts, 129
polyketonates, 2285
polyphosphines, 35
porphyrin complexes, 1297,1331, 2527
pyrazolylborates, 63,265,527, 619,687,693,697,1119,2965
pyrazolylmethane complexes, 265
pyridine complexes, 475,863, 1411,1613,1975,2251,2647
pyridine-*N*-oxide complexes, 863
Schiff base, 653
Schiff base complexes, 475,739, 1011,1293,2463,2741,2887,2987
selenophenoxides, 2941
spirophosphorane, 1463
stibine complexes, 1609
sulphonates, 1633
sulphoxide complexes, 125
telluroether complexes, 495,1141 2041
tetraimine complexes, 2603
thioamide complexes, 1287
thiazolylthiourea complexes, 2449
thioether complexes, 1975,2579, 2721
thiolates, 1659
thione complexes, 981
thiourea complexes, 2135
triazenides, 1737
triphosphine complexes, 2477
tripod Schiff base complexes, 2463
ylide complexes, 875
NMR (^{2}H) spectra
pyrazolylborate, 265
NMR (^{11}B) spectra
carbaboranes, 949,2953
NMR (^{13}C) spectra
alditol complexes, 1225
alkoxides, alkoxycarbene complexes, 2953
alkyls, 265,289,353,839,1051, 2263
alkylamides, 1009,2709
alkylidyne complexes, 1271,2953
alkylimides, 603,1009,2625
alkyne complexes, 603,727,2135, 2233
allyls, 757
amine complexes, 289
aminoacid complexes, 1293
aminoalkyls, 353
aminocarbene complexes, 1447, 2193
aminochlorophosphines, 2619
aminotelluroethers, 495
aminotelluroether complexes, 851
aminothiolate, 763
arene complexes, 1677
arsine complexes, 289,2153
aryls, 943,963
bis(diphenylphosphino)pyridine derivatives, 1757
carbaboranes, 943,2953
carbonates, 1447
carbonyls, 727,801,969,1491, 1677,1849,2135,2233,2507
carboxylates, 1411,1447
carbyne complexes, 727
cyanides, 553,913,1849
cyclometallated complex, 245
cyclopentadienyls, 839,863,1849, 2153,2751
dicarboxylates, 1447
diketonates, 1011
diphosphine complexes, 757,801, 2135,2233,2507
dithiocarbamates, 361
dithiolates, 1441
dithiophosphates, 943
hydrazones, 2751
iminoacyls, 23,839
isocyanide complexes, 2135
macrocyclic complexes, 1411, 2221,2641
mercaptothiazole complexes, 541
methylene complexes, 2953
nitrile complexes, 2153
oxime complexes, 1011
phenoxides, 789,839,963
phosphaallyl complex, 2859
phosphine complexes, 603,757, 801,1447,1757,2135,2153,
polyphosphines, 35
pyrazolylborates, 63
pyridine complexes, 863,1411

pyridine-*N*-oxide complexes, 863
Schiff bases, 2751
Schiff base complexes, 1011,1293
telluroether complexes, 2041
thioamide complexes, 1287
thiolates, 1659
thiourea complexes, 2135
tripod Schiff base complexes, 2463
NMR (^{15}N) spectra
cyanides, 1849
NMR (^{17}O) spectra
carbonyls, 1849
heteropolytungstates, 1249
NMR (^{19}F) spectra
aryls, 2181
difluorobiphenyl complexes, 1
NMR (^{23}Na) spectra
clay thermolysis, 517
NMR (^{27}Al) spectra
alumina - laponite reaction, 1709
aluminium methyl oxo propionate propionic acid compounds, 371
aluminium methyl pyrazolylborate pyrazolylmethane complexes, 265
clay thermolysis, 517
NMR (^{29}Si) spectra
ceramic glaze thermolysis, 1709
silicon catecholate complexes, 813
silylthiolate, 1659
NMR (^{31}P) spectra
aminodiphosphines, 2413
bis(diphenylphosphino)pyridine derivatives, 1757
diphosphadiene, 1363
diphosphines, 669
diphosphine complexes, 35,565, 573,639,743,757,801,987,1107, 2305,2469,2603,2651,2741
dithiophosphates, 943
phosphido complexes, 1573,2469, 2901
phosphine complexes, 23,335,565, 603,757,801,863,987,1059,1165, 1287,1447,1561,1573,1609,1757, 2181,2193,2469,2533,2579,2659, 2863,2887,2901
phosphinates, 1555
phosphinidene complexes, 1573
phosphiniminocyclotrithiazenes, 1433
phosphinine complexes, 991
phosphinopyridine complexes, 2603
phosphinothioformate complexes, 2163
phosphonium salts, 129
phosphorus(III) chloride cyanide compounds, 553
phosphorus ylide complexes, 875
phosphotungstates, 1249
polyphosphines, 35
polyphosphine complexes, 1317
triphosphine complexes, 35,2477
triphospinomethanide complexes, 2181
triselenophosphonate complexes, 987
NMR (^{51}V) spectra
vanadium(V) heteropolyanions, 143
NMR (^{59}Co) spectra
cobalt(III) amine ammonia hydroxide nitrite complexes, 2803
cobalt(III) chloride cyanide diamine diimine nitrite sulphite thiourea water complexes, 1379
NMR (^{63}Cu) spectra
copper(I) arsine distibine phosphine stibine complexes, 1609
NMR (^{71}Ga) spectra
gallium citrate halide phosphate sulphate water complexes, 207
NMR (^{77}Se) spectra
selenium(II) halides, 589
selenium sulphides, 1199
tetraselenide, 1389
NMR (^{95}Mo) spectra
molybdenum(0) carbonyl diphosphine complexes, 2393
molybdenum(0) carbonyl dipyridyl phosphine complexes, 1059
molybdenum(VI) alditol oxo complexes, 1225
NMR (^{113}Cd) spectra
cadmium mercaptothiazole complex, 541
NMR (^{125}Te) spectra
tellurium(IV) aryl dialkylene dithiophosphate compounds, 943
NMR (^{183}W) spectra
heteropolytungstates, 1249
tungsten(IV) allyl complexes, 11
NMR (^{195}Pt) spectra
platinum(II) aminoacid dipicolinate complex, 1975
NMR (^{199}Hg) spectra
mercury thiolates, thiophenoxide, 2717
Nucleoside, carbaboranyl, 891

O

Organobarium compounds, review, 1345
Organocalcium compounds, review, 1345
Organogermanium compounds, book review, 1779
Organorhenium compounds, book review, 897
Organostrontium compounds, review, 1345
Organotin compounds, book reviews, 899,2191
Oscillator strengths
neodymium hydroxide perchlorate, 659
Osmium
alkylidene carbonyl hydride tungsten complex, 1491
carbide carbonyl hydride phosphide phosphine oxo gold complexes, review, 455
carbonyl copper(I) complexes, 75
carbonyl hydride, 2759
carbonyl hydride phosphido phosphine phosphinidene complexes, 1573
carbonyl thio complexes, 2385

Osmium(0)
alkyne carbonyl complex, 1867
carbonyl phosphine complex, 1573
Osmium(II)
chloride diphosphine complex, 1107
Osmium(III)
chloride diketonate methanol phosphine complexes, 2309
triazenides, 1737
Osmium(VIII)
alkylamide alkylimide chloride oxo compounds, 1009
Oxalates
chromium(III), 1175
copper(II), 2035
molybdenum(VI), 881
nickel(II), 1447
Oxaazamacrocyclic complexes
cobalt(II), 2847
copper(II), 2239,2847
nickel(II), zinc, 2847
Oxamine complexes
aluminium, 171
Oxidative additions, trinuclear complexes, 2787
Oxime complexes
copper(II), 2663
molybdenum(VI), 1011
rhodium(III), 2047
Oxo complexes
aluminium, 301,371,409,429
cerium(IV), 1919
chromium(VI), 779
indium, 361,719
iron(III), 2895
molybdenum(III), 2469
molybdenum(V), 1965,2293
molybdenum(VI), 881,1011,1225, 1541,2293,2449,2549
osmium(VIII), 1009
rhenium(V), 615,957,1323,2211
rhenium(VI), 2081
rhenium(VII), 1323,2081,2549
rhodium(IV), 2071
ruthenium(VI), 1751
scandium, 719
sodium, 957
technetium(VII), 2549
tin, 361
tungsten, 1491
tungsten(III), 1829
tungsten(VI), 2293,2549
uranium(IV), 1843
uranium(VI), 2443,2987
vanadium(IV), 81,1397,1603,2101, 2483
ytterbium, yttrium, 719
zirconium, 1653

P

Palladium
diphosphine trinuclear complexes, review, 2767
dithiolate complexes, 2053
Palladium(0)
dibenzylideneacetone complexes, 1949
Palladium(II)
acetate diphosphine halide Schiff base cyclometallated complexes, 2741
aminotelluroether chloride complexes, 495,851
aryl phosphine triphosphinomethanide complexes, 2181
phosphine thioether complex, 2579
chloride diimine sulphate sulphonate sulphur dioxide terpyridyl complexes, 1633
chloride diketonate phosphine pyridine thioamide cyclometallated complexes, 1287
chloride thioether copper(II) complexes, 2721
dithiolate heterobinuclear complexes, 1441
nitrite phosphine complex, 2591
Pamoates
copper(II), 1191
Papain, 913
Parabinate complexes
nickel(II), 1447
PE spectra
cobalt carbonyl cyclopentadienyl complexes, 1783
iron cyclopentadienyl nitrosyl complexes, 1783
molybdenum(V) alkoxide pyrazolylborate complexes, 1965
ruthenium cyclopentadienyl nitrosyl complexes, 1783
Penicillamine complexes
cadmium, 831
copper(II), 505
vanadium(IV), 2101
zinc, 505
Pentafluorophenyls
palladium(II), 2181
Pentamethylcyclopentadienyls
Ba, Ca, 1349
cobalt, 1783
iridium(III), 1883
iron, 1783
lanthanides, 875
rhenium(III), 1135
rhenium(V), 2211
strontium, 1349
titanium(IV), 2097
tungsten(III),(V), 669
zirconium, 301
2,4-Pentanedionates
aluminium, 215
gallium, indium, 215
lanthanides, 697
molybdenum(VI), 1011
osmium(III), 2309
palladium(II), 1287
scandium, 215
tungsten(IV), 11
vanadium(IV), 1603,2483
yttrium, 1305
2,4-Pentanedithionates
nickel(II), 2809,2823
Pentanoic acid, extraction of metals from clay surface complexes, 2273
neo-Pentoxides
Mo(III), W(III), 2941
Pentyls
cadmium, 1483
gallium, 335
rhenium(V), 957

tungsten(IV), 23
tungsten(VI), 1271
Peptide complexes
cadmium, 831
cobalt(III), 2567
copper(II), nickel(II), 825
Perchlorates
copper(II), 713
neodymium, 659
Perfluoro-t-butoxides
molybdenum(III), 1821
Peroxidase, reactions with phthalocyanines, 1021
Peroxide complexes
cobalt(III), 2567
thorium, 1401
zirconium, 1405,1653
Perturbed angular correlation
hafnium edta complex, 2705
1,10-Phenanthroline complexes
cadmium, 2497
cobalt(III), 1379
copper(II), 2061
lanthanides, 2285
lead, 2497
molybdenum(0), 2863
molybdenum(I), 1187
molybdenum(II), 2863
palladium(II), 1633
tungsten(I), 1187
Phenol complexes
iridium(I), 969
tin(IV), 653
Phenoxides
aluminium, 239,301,409
boron, 789
chromium(II), 1305
copper(II), 805,2375
iridium(I), 969
iron(III), 2675
lanthanides, 939
manganese(II), 1311
mercury, 1537
molybdenum, 619,687
molybdenum(V), 2171
niobium(V), 1051
rhodium(I), 969
tantalum(V), 963,1051,2709
thorium, 1401
tin(IV), 1331
titanium(III), 1617
zirconium, 839,2185
2-Phenoxybenzoate, -benzoic acid complexes, copper(II), 1667
Phenyls
gallium, 319,353
iridium(II,III), 2635
rhodium(III), 1613
ruthenium(II), 1107
tantalum(V), 963
tellurium(IV), 943
tin(IV), 125,653,2863
Phenylacetylene complexes
nickel(I), 581
tungsten(IV), 603
Phenylalanine complexes
copper(II), 1293
Phenylamido complexes
molybdenum, 619
Phenylbis(tetramethylcyclopentadienyl)phosphine complexes
molybdenum(0), 2901
1-Phenyl-1,3-butanedionates
osmium(III), 2309
vanadium(IV), 2483
Phenylimido complexes
technetium(V), 1497
tungsten(IV), 603,669
2-Phenylphenoxides
zirconium, 2185
Phenyl-2-picolylketonates
heteropolymetallic, 2443
Phenylphosphine complexes
tungsten(V), 669
2-Phenylpyridine complexes
ruthenium(II), 1939
Phenyltriselenophosphonates
platinum(II), 987
Phosphaallyl complexes
tungsten(II), 2859
Phosphametallacycles
chromium(II), 2193
Phosphates
gallium, 207
Phosphido complexes
gallium, 343
molybdenum, 2953
molybdenum(II), 2901
osmium, 1573
tungsten, 2953
Phosphinates
chromium(III), 1555
Phosphines, reactions with trinuclear complexes, 2775
Phosphine complexes
cadmium selenide, 1913
chromium(0), 1,1479,1757,2579
chromium(II), 2193
chromium(VI), 2625
cobalt, 2549
cobalt(-I), 2533
copper(I), 981,1609,2407,2833, 2919
gallium, 335
gold(I), 2407
indium, 2533
iridium(I), 893,1867
iridium(III), 1883
iron(0), 1337
iron(II), 2433
iron(III), 1695,2139
manganese(0), 1479,2579
molybdenum(0), 1059,1479,1757, 2579,2619,2863,2901
molybdenum(II), 801,2863
molybdenum(IV), 545
nickel(I), 581
nickel(II), 757,1341,1447,2809, 2823
niobium(III), 1689
osmium, 1573
osmium(0), 1573
osmium(III), 2309
palladium(II), 1287,2181,2591
platinum, 1561
platinum(II), 987,1567,1683,2659
rhenium(0), 1479
rhenium(II), 565
rhenium(III), 1165
rhodium, 1589
rhodium(I), 1141,1235
rhodium(II), 2013
rhodium(III), 2047,2071
ruthenium(0), 1221
ruthenium(II), 863,907,1113, 1243,1893,2153,2163,2517

technetium(III),(V), 1497
tungsten(0), 1363,1757,2579, 2887
tungsten(II), 801,2135,2233
tungsten(IV), 11,23,603,669
tungsten(V), 669
Phosphine oxide complexes
aluminium, 409
iron(III), 1695
molybdenum(II), 1099
Mo(VI), Re(VII), 2549
ruthenium(II,III), 1723
ruthenium(VI), 1751
technetium(VII), 2549
tungsten(II), 1099
tungsten(VI), 2549
Phosphine sulphide complexes
aluminium, 313
Phosphinidene complexes
osmium, 1573
Phosphiniminato complexes
chromium(VI), 2625
Phosphiniminocyclotrithiazenes, 1433
Phosphinine complexes
tungsten(0), 991
Phosphinopyridine complexes
copper(I), 2603
manganese(0), 1479
rhodium(II), 2635
Phosphinothioformate complexes
ruthenium(II), 2163
Phospholyls
indium, 329
Phosphonium salts, 129
Phosphorus in cluster complexes, 1955
Phosphorus(III)
chloride cyanide compounds, 553
Phosphorus(V)
aryls, 129
aryl seleno compounds, 681
heteropolytungstate, 1249
Phosphorus trifluoride complexes
tungsten(IV), 11
Phosphorus ylide complexes
lanthanides, 875
Photochemical substitutions
ruthenium(II) diimine complexes, 1243
Phthalocyanines
cobalt(II),(III), 1021
iron(II), 1087
iron(III), 1021
3-Picoline complexes
molybdenum(II), 1209
4-Picoline complexes
copper(II), 1029
molybdenum(II), 1209
platinum(II), 2647
Piperidine complexes
molybdenum(0), 1757
Platinum
diphosphine trinuclear complexes, review, 2767
dithiolate complexes, 2053
dithiolate phosphine complexes, 1561
Platinum(0)
dibenzylideneacetone complexes, 1949
Platinum(II)
amine halide nitrate pyridine complexes, 2647
aminoacid chloride cytochrome dipicolinate dipyridyl - thioether complexes, 1975
aminotelluroether chloride complexes, 495,851
bromide phosphine complex, 1683
chloride diphosphine isocyanide nickel(0) complexes, 2651
chloride diphosphine triphosphine complexes, 35
chloride polyphosphine nickel(II) complexes, 1317
chloride terpyridine complex, 893
chloride thioether complexes, 2721
phosphine selenium - nitrogen complexes, 1567
phosphine tellurium - sulphur - nitrogen complexes, 2659
phosphine triselenophosphonate complexes, 987
Polarography
ruthenium(II) acetonitrile chloride diimine nitrite phosphine complexes, 1243
Polyaminepolycrboxylates
calcium, 505
cobalt(II), 99
Cu(II), Zn, 505
Polyene complexes
molecular orbitals, 2001
Polyhedral boranes, metallaboranes, 2359
Polyketonate complexes
lanthanides, 2285
Polymeric triamine complexes
copper, nickel, zinc, 2491
Polymerization, nickel(II)
macrocyclic tetramine complex, 1027
Polyoxaalkane - enoxide complexes
Ba, Ca, Sr, 2959
Polyphosphates, hydrolysis, 2177
Polyphosphate complexes
copper(II), 511,2609
iron, magnesium, nickel, 2609
Polyphosphine complexes
Co(I), Ni(II), Pt(II), 1317
Polysulphide complexes
ruthenium(II), 1893
Porphyrins
copper(II), 2527
indium, 1297
tin(IV), 1331
Potassium
crown amine ether complex, 1747
cryptand complexes, 1369
germyls, 2263
Potentiometric titrations
boric acid pyrogallol complexes, 789
cadmium, lead phenanthroline complexes, 2497
Praseodymium
azole diketonate complex, 751
chloride cyclopentadienyl ether complexes, 479
crown ether thiocyanate water complexes, 2371
diketonate nitrate complexes, 795
diketonate pyrazolylborate compounds, 697

dithiocarbamate complexes, 859
nitrate Schiff base complexes, 2019
phenanthroline polyketonate complexes, 2285
phosphotungstates, 1249
Prolophos complexes
iron(II), 639
1,3-Propanediolates
molybdenum(V), 1965
Propanethiolates
iron, 1741
Propionates
aluminium, 371
indium, 361
rhenium(II), 743
Propionic acid complexes
aluminium, 371
Propoxides
aluminium, 371
indium(III), 719
molybdenum, 619
molybdenum(V), 1965
scandium, 719
tungsten(III), 1829
Y,Yb, 719
Propyls
gallium, indium, 353
tungsten(IV), 23
Propylamine complexes
molybdenum(V), 2171
Propylene carbonate, solvent extraction by, 1717
i-Propylimido complexes
tungsten(IV), 603
Propylthiolates
copper(I), indium, 361
mercury, 2717
Pseudorotations, 2221
Purinethione complexes
copper(I), 981
Pyrazole complexes
Cd, Co, Ni, Zn, 2839
Pyrazolylborates
aluminium, 265
hafnium, 2185
lanthanides, 697
magnesium, 1775,2655
molybdenum, 527,619,687,693,2965
molybdenum(V), 1965
thallium(I), 63
thorium, 1645
tungsten, 527
uranium(IV), 69,1645
vanadium(IV), 2483
yttrium, 1119
zirconium, 2185
Pyrazolylmethane complexes
aluminium, 265
Pyridinaldazine complexes
thorium, uranium(VI), 2987
Pyridine complexes
aluminium, 309
cadmium, 541,2839
chromium(II), 1311
chromium(VI), 2625
cobalt(II), 2839
copper(I), 2319
copper(II), 629,1029,1257,1293, 2061,2375,2693,2867
europium, 1411
gallium, 2763
germanium, 1127
iron(II), 1087
manganese(II), 2699
manganese(III), 2867
molybdenum(II), 1209
neodymium, 1411
nickel(II), 2839,2867
palladium(II), 1287
platinum(II), 1975,2647
rhodium(III), 1613,2047,2127
ruthenium, 2267
ruthenium(II), 863,1939,2153
ruthenium(II,III), 1723
silver(I), 2251
tungsten(0), 2887
tungsten(IV), 11
tungsten(VI), 1271
vanadium(IV), 1397
yttrium, 475
zinc, 2839
2-Pyridine carboxaldehyde-*N*-oxide Schiff base complexes
copper(II), 2981
Pyridine-*N*-oxide complexes
cobalt(II), 2315
copper(II), 2981
ruthenium(II), 863
Pyridine-2-thionate complexes
copper(I), 2833
rhenium, ruthenium, 623
2-Pyridone complexes
thorium, 491
Pyridoxal, pyridoxamine, pyridoxol complexes, copper(II), 629
2-Pyridyl complexes
ruthenium, 623
4-Pyridylcarbinol complexes
platinum(II), 2647
Pyridylketonate complexes
polymetallic, 2443
2-(2-Pyridyl)phenyl compounds
rhodium(III), 1613
ruthenium(II), 1939
Pyridylphosphine complexes
manganese(0), 1479
Pyridylpyrazole complexes
Cd, Co, Ni, Zn, 2839
10-(4'-*N*-Pyridyl)-5,15,20-triphenylporphinate, indium, 1297
Pyrimidine complexes
copper(II), 2747
ruthenium, 2681,2733
Pyrogallol boric acid complexes, 789
Pyrrolaldazine complexes
thorium, uranium(VI), 2987
Pyrrole, attached to macrocyclic complex, 1027

Q

Quinazolone complexes
copper(II), 805
Quinoline-2-thione complexes
copper(I), 981
Quinone complexes
ruthenium, 2267
tellurium(II), 847
Quinoxalinedithiolates
platinum, 1561

R

Raman spectra
bis(diphenylphosphino)pyridine and derivatives, 1757
bromides, 207,1199
catecholates, 813
chlorides, 207,589,2663
diaminodihydroxy tetradentate complexes, 1593
fluorides, 153
hydroxide, 659
isopolymolybdates, 1717
molybdenum(II) binuclear complexes, 1209
oxime complexes, 2663
oxo complexes, 1653,1751
perchlorate, 659
peroxides, 1653
phosphine complexes, 669
sulphides, 1199
triazenides, 1737
Rhenium
aryl butylimide nitrosyl complex, 2081
carbonyl pyridinethionate thio ruthenium complexes, 623
organo compounds, book review, 899
Rhenium(0)
carbonyl phosphine complex, 1479
Rhenium(II)
carbonyl diphosphine halide phosphine complexes, 565
carboxylate diarsine diphosphine halide complexes, 743
diarsine diphosphine halide complexes, 573
Rhenium(II,III)
diarsine diphosphine halide complexes, 573
Rhenium(III)
alkoxycarbonyl carbonyl cyclopentadienyl halide complexes, 1131
chloride phosphine complexes, 1165
Rhenium(V)
amidothiophenoxide cyclopentadienyl dithiolate thiophenoxide complexes, 2211
aryl butylimide cyclohexadienyl complex, 2081
catecholate oxo complexes, 1323
methoxide oxo tetradentate Schiff base complex, 615
neopentyl oxo sodium complex, 957
Rhenium(VI)
aryl bromide butylimide oxo cyclometallated complexes, 2081
Rhenium(VII)
aryl butylimide chloride hydroxo oxo complexes, 2081
catecholate oxo complexes, 1323
oxo tripod phosphine oxide cobalt(0) complexes, 2549
Rhodium
acetate chloride nitrosyl phosphine complex, 1589
cyclopentadienyl dithiolates, 1123
triphosphine triphosphorus mercury complexes, 2477
Rhodium(I)
carbonyl phenoxide complex, 969
chloride diene phosphine telluroether complexes, 1141
hydride phosphine complex, 1235
Rhodium(II)
alkenediyl carbonyl chloride phosphinopyridine complex, 2635
carboxylate water complexes, 1135
dithiocarbamate phosphine complexes, 2013
Rhodium(II,III)
carboxylate water complexes, 1135
Rhodium(III)
amine thioether macrocyclic complex, 2925
aryl dipyridyl pyridine cyclometallated complex, 1613
azole methyl oxime phosphine pyridine thiourea complexes, 2047
carbonyl chloride telluroether complexes, 1141
carbonyl diamine methyl phosphine thioether complexes, 2071
chloride pyridine complex, 2127
triazenides, 1737
Rhodium(IV)
neopentyl oxo complex, 2071
Ribitol complex
molybdenum(VI), 1225
Rubidium
cryptand complexes, 1369
Ruthenium
carbide carbonyl hydride nitride phosphine cluster complexes, review, 455
carbonyl pyridinethionate pyridyl thio rhenium complexes, 623
cyclopentadienyl nitrosyl, 1783
dipyridyl pyridine quinone complexes, 2267
chloride nitrosyl violurate complexes, 2733
Ruthenium(0)
carbonyl complex, 1867
phosphine tetramine macrocyclic complex, 1221
Ruthenium(II)
acetonitrile chloride diimine nitrite phosphine complexes, 1243
alkenyl carbonyl carboxylate phosphine complexes, 907
amine arene azide chloride ethoxide phosphine complexes, 1113
arsine carbonyl chloride cyclopentadienyl diphosphine hydride nitrile phosphine pyridine complexes, 2153
arsine cyclopentadienyl diphosphine phosphine pyridine pyridine-*N*-oxide complexes, 863
aryl chloride diphosphine hydride complexes, 1107

carbonyl chloride dipyridyl thioether complexes, 893
cyclopentadienyl diphosphine phosphine phosphinothioformate complexes, 2163
cyclopentadienyl phosphite polysulphide complexes, 1893
dipyridyl pyridinoaryl complexes, 1939
violurate water complexes, 2733
water complex, 1095
Ruthenium(II,III)
carboxylate chloride ether phosphine oxide pyridine complexes, 1723
Ruthenium(III)
edta mercaptopyrimidine water complexes, 2681
methyl complex, 2071
triazenides, 1737
Ruthenium(VI)
halide oxide phosphine oxide complexes, 1751

S

Saccharinates
Co,Cu,Fe,Mn,Ni, 1383
Salicylaldimine complexes
lanthanides, 2019
thorium, 1401
zirconium, 1405
Salicylate complexes
copper(II), 1191
iron(III), 2675
nickel(II), 1447
tin(IV), 1331
Salicylideneglycinate ester complexes, tin(IV), 653
Samarium
aminophenoxide carboxylate cyclopentadienyl hydroxyquinolate complexes, 2143
chloride phenoxide water complexes, 939
crown ether thiocyanate water complexes, 2371
cyclopentadienyl ylide complexes, 875
diketonate pyrazolylborate compounds, 697
diketone nitrate complexes, 795
dithiocarbamate complexes, 859
nitrate Schiff base complexes, 2019
phenanthroline polyketonate complexes, 2285
phosphotungstates, 1249
Scandium
alkoxide oxo compound, 719
diketonates, 215
SCF calculations
boranes, 1035
Schiff base complexes
cadmium, 1017
copper(I), 739,1469
copper(II), 1293,2463,2981
europium, 1411
lanthanides, 1411,2019
molybdenum(VI), 1011
neodymium, 1411
nickel(II), 1017
palladium(II), 2741
rhenium(V), 615
thorium, 1401,2987
tungsten(0), 2887
uranium(VI), 2987
yttrium, 475
zinc, 1017,1293,1469
zirconium, 1405
$Se_2N_2^{2-}$ complexes
platinum(II), 1567
Selenide, cadmium, 1913
Selenium - nitrogen complexes
platinum(II), 1567
Selenium sulphides, 1199
Selenium(II)
bromide, 589,1199
halides, 589
Seleno compounds
phosphorus(V), 681
Selenophenoxides
Mo(III), W(III), 2941
Semiquinone complexes
ruthenium, 2267
Serine complexes
Ca,Cd,Co,Cu,Mg,Ni,Pb,Zn, 665
Silicates
aluminium in blood plasma, 193
Silicon
catecholate complexes, 813
Siloxides
aluminium, 409
magnesium, 2655
tungsten(VI), 2293
Silver
dithiolate heterobinuclear complexes, 1441
nitrate complexes, 1429,2127
pyridine complexes, 2251
thiolate complexes, 769,1429
Silyls
aluminium, 277
iron(0), 1337
Silylamides
aluminium 2205
Ba, Ca, Mg, Mn(II), Sr, 2959
titanium, zirconium, 1423
Sodium
acetonitrile oxo rhenium(V) complex, 957
crown amine ether complex, 1747
cryptand complexes, 1369
germyls, 2263
uracil complex, 2199
Solochrome Yellow 2G, reaction with Cr(III) complex, 137
Solvation, $[Cr(CO)_5]$, 2511
Solvent extraction
americium(III), europium(III) crown amine carboxylate ether complexes, 2455
cobalt(II) dialkylphosphate complexes, 1147
isopolymolybdates, 1717
Speciation modelling
Al, Ga, In in blood plasma, 151,163
Spirophosphorane, 1463
Stibine complexes
copper(I), 1609
iron(II), 2433
Strontium
alkoxide ether silylamide complexes, 2959

cryptand complexes, 1369
organo compounds, review, 1345
Sulphates
copper(II), 2035
gallium, 207
palladium(II), 1633
Sulphides
selenium, 1199
Sulphite complexes
cobalt(III), 1379
Sulphonates
chromium(VI), 2625
palladium(II), 1633
tin(IV), 1331
Sulphonated phthalocyanines
Co(II),(III), Fe(III), 1021
5-Sulphosalicylates
iron(III), 2675
Sulphoxide complexes
platinum(II), 2647
tin(IV), 125
vanadium(IV), 1397
Sulphur
nitrogen compounds, 107
Sulphur compounds, reactions with $FeSO_4.7H_2O$ and $NaNO_2$, 2399
Sulphur dioxide complexes
palladium(II), 1633
Superoxide complexes
cobalt(III), 2567

T

Tantalum(V)
alkyl phenoxide cyclometallated complexes, 1051
alkylamide alkyne chloride ether phenoxide complexes, 2709
phenoxide phenyls, 963
$TeSN_2^{2-}$, $TeSN_2H^-$ complexes
platinum(II), 2659
Technetium(III)
chloride diazenide phosphine complex, 1497
Technetium(V)
arylimide diphosphine halide hydrazide phosphine complexes, 1497
Technetium(VII)
oxo tripod phosphine oxide cobalt(0), complexes, 2549
Telluride, cadmium mercury, 921
Tellurium(II)
alkyls, 921
alkyl quinone complexes, 847
bromide thione complex, 2879
Tellurium(IV)
aryl dialkylene dithiophosphate compounds, 943
bromide complex, 2879
Telluroether complexes
mercury, 851,2041
Pd(II), Pt(II), 495,851
rhodium(I),(III), 1141
Terbium
chloride phenoxide water complexes, 939
crown ether thiocyanate water complexes, 2371
diketonate pyrazolylborate compounds, 697
diketone nitrate complexes, 795
ketoaminophenol complex, 1639
nitrate Schiff base complex, 2019
phenanthroline polyketonate complexes, 2285
phosphotungstates, 1249
2,2',2"-Terpyridyl complexes
gold(III), 893
palladium(II), 1633
platinum(II), 893
Tetraazacyclotetradecane complexes
cobalt(III), 2803
Tetracarba-*closo*- [& *nido*-] octaboranes, 949
Tetraethylenepentamine complexes
cobalt(III), 2803
Tetrahydrofuran complexes
group 2 metals, 2959
iron(II), 639
lanthanides, 479
manganese(II), 2959
tantalum(V), 2709
Tetrahydrothiophen complexes
rhodium(III), 2071
Tetraimine complexes
copper(I), 2603
1,2,4,5-Tetramethylbenzene complexes, gallium(I), 283
Tetramethylcyclopentadienyl complexes, molybdenum(II), 2901
Tetramethylethylenediamine complexes,
cobalt(II), 931
iridium(III), 2071
lithium, 931
2,2,6,6-Tetramethyl-3,5-heptanedionates,
chromium(III), 893
lanthanides, 751
Tetramethylthiourea complexes
rhodium(III), 2047
Tetramine complexes
cobalt(III), 2803
copper(II), 2221,2353
nickel(II), 1027,1729,2221
Tetraoxatetraphosphorinane complexes
molybdenum(0), 2619
Tetraphenylporphyrinates
tin(IV), 1331
Tetra(6'-quinolinyl)porphyrins
copper(II), 2527
Tetraselenide, tin(IV), 1389
Tetrasulphide tetranitride, 107, 1935
Thallium(I)
dithiolate heterobinuclear complexes, 1441
pyrazolylborates, 63
Thermal analysis
aluminium niobium(V) oxide, 367
aminophenoltriacetate complexes, 2873
cadmium mercaptopyridine mercaptothiazole complexes, 541
chromium(III) ammonia complex oxalate, 1175
chromium(III) ammonia glycine complexes, 119
copper(I) dithiocarbamate thiolate indium complex, 361
copper(I) thiolate complexes, 1155

iron(III) glycine glycoside hydroxide oxo complexes, 2895
lanthanide chloride phenoxide water complexes, 939
lanthanide crown ether thiocyanate water complexes, 2371
lanthanide dithiocarbamate complexes, 859
lanthanide nitrate Schiff base complexes, 2019
lanthanide phenanthroline polyketonate complexes, 2285
molybdenum arylamide halide nitrosyl phenoxide pyrazolylborate complexes, 687
nickel(II) polymeric complexes, 2823
ruthenium(II) violurate water complexes, 2733
thorium chloride Schiff base water complexes, 2987
tin(IV) tetraselenide complex, 1389
uranium(VI) acetate dioxo chloride hydroxide Schiff base water complexes, 2987
uranium(VI) fluoride complex, 47
Thiazolylazoresorcinol complexes
cadmium, 501
Thiazolylthiourea complexes
molybdenum(VI), 2449
Thio compounds and complexes
iron, 1741,2399
molybdenum(IV), 1671,2585
niobium(III), 1689
osmium, 2385
rhenium, ruthenium, 623
Thioacetate complexes
nickel(II), 1729
Thioamide complexes
cadmium, 831
palladium(II), 1287
Thiobismorpholine complexes
iron(0), 1045
Thiocarbonyl complexes
semibridging, 1799
Thiocarboxylates
nickel(II), 1729
Thiocyanates
cadmium, 2839
cobalt(II), 1375,2839
copper(II), 535,713,1029,2375
iron(II), 2971
lanthanides, 2371
molybdenum, 2965
molybdenum(VI), 881
nickel(II), 535,2839
tin(IV), 1331
zinc, 2839
Thioether complexes
aluminium, 409
chromium(0), 703,2579
cobalt(III), 1079
copper(I), 1469,2911,2919
copper(II), 2375
iridium(III), 893
iron(0), 1045
iron(II), 2641
manganese(0), 2579
mercury, 2931
molybdenum(0), 703,2579
molybdenum(V), 2293
platinum(II), 1975
rhodium(III), 2071,2925
ruthenium(II), 893
tungsten(0), 703,2579
tungsten(VI), 2293
zinc, 1469
Thiohydrazide, thiohydrazone complexes, iron(III), 1065
Thiolates
aluminium, 409
cadmium, 831,1017
chromium(VI), 779
copper(I), 361,1155,1469,1659
indium, 361
iridium(III), 1883
iron, 1741
manganese(II),(III), 1181
mercury, 2717
nickel(II), 1017
niobium(III), 1689
nitroprusside reaction, 913
silver, 769,1429
zinc, 763,1017,1469
Thione complexes
copper(I), 981,2833
tellurium(II), 2879
Thiophenaldazine complexes
Th, U(VI), 2987
Thiophenoxides
aluminium, 409
mercury, 2717
rhenium(V), 2211
Thiosalicylates
manganese(II),(III), 1181
Thiosemicarbazide complexes
Cd, Co, Cu, 2029
molybdenum(VI), 881
Ni, Zn, 2029
Thiosulphate complexes
iron, 1741
Thiouracil complexes
copper(II), 2747
Thiourea complexes
cobalt(III), 1379
molybdenum(VI), 2449
rhodium(III), 2047
tungsten(II), 2135
Thorium
aminophenoxide anthranilate peroxide Schiff base complexes, 1401
chloride pyrazolylborate, 1645
chloride Schiff base water complexes, 2987
nitrate pyridone complex, 491
Threitol complexes
molybdenum(VI), 1225
Thulium
crown ether thiocyanate water complexes, 2371
nitrate Schiff base complexes, 2019
phenanthroline polyketonate complexes, 2285
phosphotungstates, 1249
Tin
organo compounds, book reviews, 897,2191
Tin(II)
halide complexes, reactions with trinuclear complexes, 2777
halide iron(I) molybdenum(I) tungsten(I) complexes, 1187
Tin(IV)

amide aryl chloride cyanate diimine sulphoxide complexes, 125
butyl oxo indium complex, 361
carboxylate halide hydroxide methoxide nitrite phenoxide porphyrin sulphonate thiocyanate complexes, 1331
chloride methyl phenyl molybdenum(II) complexes, 2863
chloride phenol phenyl complexes, 653
tetraselenide complex, 1389
Titanium(III)
chloride phenoxide complex, 1617
Titanium(IV)
carboxylate cyclopentadienyl compounds, 783
cyclopentadienyl hydroxide ketoimine complex, 2097
methyl silylamide complexes, 1423
Toluates
titanium(IV), 783
zirconium(IV), 2689
Toluene complexes
chromium(0), 53
gallium(I), 283
Toluidine complexes
ruthenium(II), 1113
Toluidine Schiff base complexes
lanthanides, 2019
o-Tolyls
rhenium(VII), 2081
p-Tolyls
ruthenium(II), 1107
p-Tolylmethylidene complexes
osmium, tungsten, 1491
Triamine complexes
cobalt(III), 2803
Triatomic molecules, molecular orbitals, 1919
Triazene oxide complexes
copper(II), 1703
Triazenide complexes
Ir(III), Os(III), Rh(III), Ru(III), 1737
Tri(*t*-butoxy)silanethiolates
copper(I), 1659
2,4,6-Tri-*t*-butylbenzoxides
aluminium, 239
2,4,6-Tri-*t*-butylphenoxides
chromium(II), manganese(II), 1311
2,4,6-Tri-*t*-butylphenylamido complexes
aluminium, 245
Tributylphosphate, solvent extraction by, 1717
Tributylphosphine complexes
molybdenum(0), 1059
nickel(I), 581
nickel(II), 2809
palladium(II), 1287
tungsten(II), 2233
Trichlorosilyls
iron(0), 1337
Tricyclohexylphosphine complexes
iron(II), 2433
platinum(II), 1683
Triethanolamine complexes
molybdenum(VI), 1541
Triethylamine complexes
molybdenum(V), 2171
Triethylenetetramine complexes
calcium, 2803
cobalt(II), 2803
copper(II), zinc, 505
Triethylphosphine complexes
platinum, 1561
platinum(II), 987
rhodium(I), 1235
tungsten(II), 2233
Triethylphosphite complexes
nickel(I), 581
rhenium(II), 565
Triethylstibine complexes
copper(I), 1609
Trifluoroacetate complexes
lanthanides, 2143
tin(IV), 1331
tungsten(IV), 11
Trifluoromethanesulphonates
chromium(VI), 2625
tin(IV), 1331
Trifluoropentanedionates
aluminium, gallium, indium, 215
osmium(III), 2309
vanadium(IV), 2483
Trifluoro(thenoyl)butanedionates
vanadium(IV), 2483
Trimethoxyphenyls
phosphorus(V), 681
Trimethylamine complexes
gallium, 343
Trimethylarsine, 289
Trimethylarsine complexes
copper(I), 1609
Trimethylphosphine complexes
chromium(VI), 2625
copper(I), 1609
iridium(III), 1883
molybdenum(0), 1059
nickel(II), 757,1447
niobium(III), 1689
rhenium(II), 565
rhodium(III), 2071
tungsten(II), 2233
tungsten(IV), 11,23,603,669
Trimethylphosphite complexes
nickel(I), 581
rhenium(II), 565
tungsten(IV), 11
Trimethylsiloxy compounds
magnesium, 2655
tungsten(VI), 2293
Trimethylsilyls
aluminium, 277
Trimethylsilylmethoxides
molybdenum, 619
Trimethylsilylmethyls
cobalt(II), 931
gallium, 335
tungsten(VI), 1271
Trimethylsilylmethylarsenido complexes, gallium, 319
Trimethylsilylmethylidyne complexes, W(VI), 1271
Trimethylsilylpropyne complexes
tantalum(V), 2709
Trimethylstibine complexes
copper(I), 1609
Trinuclear cluster complexes, 1625
Triphenylarsine complexes
chromium(0), 1
copper(I), 2919

iron(II), 2433
ruthenium(II), 863 ,2153
Triphenylphosphine complexes
cadmium selenide, 1913
chromium(0), 1
cobalt(-I), 2533
copper(I), 981,2407,2833,2919
gold(I), 2407
indium, 2533
iridium(I), 893
iridium(III), 1883
iron(0), 1337
iron(II), 2433
molybdenum(0), 1059
molybdenum(IV), 545
nickel(I), 581
osmium(III), 2309
platinum, 1561
platinum(II), 1567
rhodium, 1589
rhodium(I), 1141
rhodium(II), 2013
rhodium(III), 2047
ruthenium(II), 863,907,1113, 1243,2153,2163,2517
technetium(III),(V), 1497
tungsten(0), 2887
tungsten(II), 2233
Triphenylphosphine oxide complexes
ruthenium(VI), 1751
Triphenylphosphite complexes
iridium(III), 1883
iron(0), 1337
nickel(I), 581
ruthenium(II), 1893
Triphenylstibine complexes
copper(I), 1609
iron(II), 2433
Triphosphine complexes
cobalt, 2477
molybdenum(IV), 545
platinum(II), 35
rhodium, 2477
Triphosphorus complexes
Co, Hg, Rh, 2477
Tripod phosphine oxide complexes
Mo(VI), Re(VII), Tc(VII), W(VI), 2549
Tripropylphosphine complexes
palladium(II), 2591
tungsten(II), 2233
Tri-*i*-propylphosphite complexes
tungsten(II), 2135
Tris(chlorophenyl)phosphine complexes
iron(II), 2433
molybdenum(0), 1059,2863
molybdenum(II), 2863
Tris(dimethylamino)arsine complexes, aluminium, 289
Tris(dimethylamino)phenylphosphine complexes, Mo(0), 1059
Tris(diphenylphosphino)methane complexes
palladium(II), 2181
Tris(diphenylphosphinomethyl)ethane complexes, Co, Rh, 2477
Triselenophosphonates
platinum(II), 987
Tris(fluorophenyl)phosphine complexes,
iron(II), 2433
molybdenum(0), 1059,2863
molybdenum(II), 2863
nickel(I), 581
Tris(hydroxymethyl)ethane, tris-hydroxymethyl)nitromethane complexes, Mo(VI), 1541
Tris(methoxyphenyl)phosphine complexes,
iron(II), 2433
molybenum(0), 1059,2863
molybdenum(II), 2863
nickel(I), 581
Tris(4-phenyl-3-aza-3-butenyl)-amine complexes, Cu(I), 739
Tris(pyrazolyl)methane complexes
aluminium, 265
Tris(*p*-tolyl)phosphine complexes
iron(II), 2433
molybdenum(0), 1059,2863
molybenum(II), 2863
palladium(II), 1287
Tris(trifluoromethylphenyl)phosphine complexes, iron(II), 2433
Tris(trimethoxyphenyl)phosphine and -phosphine oxide complexes
iron(III), 1695
1,4,7-Trithiacyclononane complexes
Ir(III), Ru(II), 893
Tropolonates
aluminium, 409
osmium(III), 2309
Tungsten
alkoxycarbene alkoxide alkylidyne carbaborane carbonyl methylene phosphido complexes, 2953
alkylidene cyclopentadienyl oxo osmium complex, 1491
arylamide nitrosyl pyrazolylborate complexes, 527
Tungsten(0)
amine carbonyl nitrile phosphine pyridine Schiff base complexes, 2887
carbonyl diimine complex, 1217
carbonyl diphosphine heterobinuclear complexes, 2305
carbonyl dithiolane complexes, 703
carbonyl phosphine complexes, 1363,1757
carbonyl phosphinine complexes, 991
carbonyl phosphine thioether complex, 2579
Tungsten(I)
carbonyl diimine halide tin(II) iron(I) complexes, 1187
Tungsten(II)
alkyne carbonyl diphosphine iodide complex, 2507
alkyne carbonyl diphosphine iodide isocyanide phosphine thiourea complexes, 2135
alkyne carbonyl diphosphine iodide phosphine complexes, 2233
alkyne carbonyl iodide isocyanide complexes, 727
carbonyl cyclopentadienyl phosphaallyl complexes, 2859
carbonyl diphosphinoethyne iodide complexes, 801
carbonyl halide phosphine oxide

complexes, 1099
Tungsten(III)
alkoxide chloride oxo complexes, 1829
alkoxide selenophenoxides, 2941
chloride cyclopentadienyl, 669
Tungsten(IV)
alkene alkyl allyl diphosphine iminoacyl phosphine complexes, 23
alkyl allyl carboxylate diketonate diphosphine halide isocyanide phosphine pyridine aluminium complexes, 11
alkylimide alkyne arylimide carbonyl chloride phosphine complexes, 603
arylimide chloride dinitrogen phosphine complexes, 669
carbonyl carbyne iodide isocyanide complex, 727
Tungsten(V)
chloride cyclopentadienyl phosphine complexes, 669
Tungsten(VI)
alkyl alkylidyne pyridine complexes, 1271
chloride nitrile oxo siloxy thio compounds, 2293
heteropolyanions, 1249
in heteropolyvanadates, 143
oxo tripod phosphine oxide cobalt(0) complexes, 2549
Tyrosine complexes
copper(II), zinc, 1293

U

Uracil complexes
sodium, 2199
Uranium(III)
bromide, 2175
Uranium(IV)
alcohol alkoxide oxo complexes, 1843
chloride cyclopentadienyl pyrazolylborate complexes, 69
chloride pyrazolylborate complexes, 1645
Uranium(VI)
acetate chloride hydroxide oxo Schiff base water complexes, 2987
fluoride complex, 47
nitrate oxo pyridylketonate copper(II) complexes, 2443

V

Valinate complexes
cadmium, 2437
cobalt(III), 2149
Vanadium(IV)
aminoacid oxo complexes, 2101
aspartate oxo complexes, 81
diketonate oxo pyrazolylborate complexes, 2483
diketonate oxo pyridine sulphoxide complexes, 1397
oxo, in glazes, 999
oxo pentanedionate complex, 1603
Vanadium(V)
heteropolyanions, 143
Vanillin Schiff base complexes
lanthanides, 2019
Vapour pressures
alkyls, 921
gallium, indium alkyl aminoalkyl chloride complexes, 353
Vinylidene complexes
iron, 1809
Violurate complexes
ruthenium, 2733

W

Water complexes
aluminium, 199
chromium(III), 137,1555
cobalt(II), 1383,2315,2721,2873
cobalt(III), 1379
copper(II), 1191,1383,2029,2375, 2721,2867
gallium, 207
hafnium, 2705
iron(II), 1383
lanthanides, 2371
manganese(II), 1383,2873
manganese(III), 2867
molybdenum(IV), 1671
nickel(II), 1383,2721,2867,2873
rhodium(II), 1135
ruthenium(II), 1095,2733
thorium, uranium(VI), 2987
yttrium, 1305
zinc, 2873
Water gas shift reaction, catalysis by trinuclear platinum complex, 2795

X

Xanthate complexes
nickel(II), 1341,1729
XPE spectra
lanthanide aminophenoxide carboxylate cyclopentadienyl hydroxyquinolate complexes, 2143
lanthanide chloride cyclopentadienyls, 1453
lanthanide chloride cyclopentadienyl ether complexes, 479
X - ray crystal structures
aluminium alkoxide alkylamide amine complexes, 253
aluminium alkoxide methyl compound, 239
aluminium alkyl, 277
aluminium alkyl phosphine sulphide complexes, 313
aluminium alkyl silylamides, 2205
aluminium alkylamide arylamide methyl cyclometallated compounds, 257
aluminium arylamide methyl cyclometallated compound, 245
aluminium chloride ethoxide pyridine complex, 309

arsenic(V) aryl heteropolymolybdate, 2023
cadmium mercaptopyridine mercaptothiazole complexes, 541
carbaborane, 2407
chromium(0) arene carbonyl complex, 1677
chromium(0) carbonyl phosphine thioether complex, 2579
chromium(II) alkene aminocarbene carbonyl phosphine complex, 2193
chromium(II) phenoxide pyridine complex, 1311
chromium(VI) alkylimide chloride phosphine pyridine sulphonate complexes, 2625
chromium(VI) oxo thiolate complex, 779
cobalt cyclopentadienyl phosphine rhenium(VII) complex, 2549
cobalt triphosphine triphosphorus mercury complex, 2477
cobalt(-I) carbonyl phosphine indium complex, 2533
cobalt(II) alkyl chloride diamine complexes, 931
cobalt(II) amine carboxylate water complex, 2873
cobalt(II) chloride pyridine-*N*-oxide water complex, 2315
cobalt(III) amide amine nitrite thioether complexes, 1079
cobalt(III) nitrite valinate complex, 2149
copper(I) amine bromide tripod Schiff base complex, 2463
copper(I) amine Schiff base complex, 739
copper(I) arsine nitrile phosphine thioether binuclear macrocyclic complexes, 2919
copper(I) bromide phosphine thione complex, 981
copper(I) diphosphine tetraimine binuclear complex, 2603
copper(I) iodide osmium complexes, 75
copper(I) phosphine thione complex, 2833
copper(I) thioether binuclear macrocyclic complexes, 2911
copper(I) thiolate complexes, 1155,1659
copper(II) acetate alkoxide amine pyridine binucleating complexes, 2867
copper(II) amide amine azide bromide thioether complexes, 2375
copper(II) aminoalkoxides, 611
copper(II) aminoethoxide thiocyanate, 535
copper(II) azide dipyridylamine complex, 2693
copper(II) carboxylate carboxylic acid complex, 1667
copper(II) cyanate diamine complex, 2937
copper(II) diketonate pyridine complex, 2061
copper(II) imidazole Schiff base complex, 2981
copper(II) pyridine thiocyanate complex, 1029
cycloarsane, 319
diacetylferrocene hydrazone, 2751
europium acetate hexamine macrocyclic complex, 1411
europium azole diketonate complex, 751
gallium(I),(III) arene chloride complex, 283
gallium(III) alkyl amine complexes, 343
gallium(III) alkyl cyclopentadienyl ether iodide pyridine heterobinuclear complexes, 2763
gallium(III) alkyl phosphine complexes, 335
gold dithiolate complex, 1561
gold(III) chloride complex, 2199
indium alkoxide oxide, 719
indium chloride phosphine cobalt complex, 2533
indium chloride phospholyl complex, 329
indium(III) chloride porphyrin, 1297
iridium(I) alkyne phosphine complex, 1867
iridium(I) diene phenol phenoxide complex, 969
iridium(II,III) alkenediyl carbonyl diphosphine isocyanide phenyl complex, 2635
iridium((III) alkyl cyclopentadienyl phosphine thiolate cyclometallated complexes, 1883
iron carbonyl cyclopentadienyl gallium complex, 2763
iron carbonyl vinylidene complexes, 1809
iron(-II) carbonyl germanium complex, 1127
iron(0) carbonyl chloride phosphine phosphite silyl complexes, 1337
iron(II) amine thioether macrocyclic complex, 2641
iron(II) azole thiocyanate complex, 2971
iron(II) carbonyl cyclopentadienyl germyl complexes, 773
iron(III) chloride diphosphine complex, 2139
iron(III) chloride phosphine oxide complex, 1695
magnesium chloride pyrazolylborate, 1775
magnesium ether silylamide complex, 2959
magnesium pyrazolylborate siloxide, 2655
manganese(II) acetonitrile phenoxide complex, 1311
manganese(II) dipyridylamide complex, 2699
manganese(II) ether silylamide complex, 2959

mercury amine thioether macrocyclic complex, 2931
mercury bromide telluroether complex, 2041
mercury methylhydantoin complex, 1765
molybdenum alkoxycarbene alkylidyne cycloheptatrienyl methylene tungsten complex, 2953
molybdenum carbonyl cyclopentadienyl gallium compound, 2763
molybdenum dithiolate pyrazolylborate thiocyanate complex, 2965
molybdenum(0) carbonyl diphosphine complexes, 2393
molybdenum(0) carbonyl phosphine complex, 2901
molybdenum(II) bromide pyridine complex, 1209
molybdenum(II) carbonyl cyclopentadienyl phosphido complex, 2901
molybdenum(III) alkoxide alkylamide, 1821
molybdenum(III) alkoxide selenophenoxides, 2941
molybdenum(III) carbonyl cyclopentadienyl oxo phosphido complex, 2469
molybdenum(IV) chloride hydrazide phosphine triphosphine complexes, 545
molybdenum(IV) thio water complex, 1671
molybdenum(VI) nitrilotriacetate oxo polyalkoxide triethanol-amine complexes, 1541
neodymium acetate hexamine macrocyclic complex, 1411
nickel dithiolate complex, 2053
nickel(0) diphosphine isocyanide platinum(II) complex, 2651
nickel(II) aminoethanol thiocyanate complex, 535
nickel(II) diphosphine iodide isocyanide complex, 1487
nickel(II) dithiocarbamate macrocyclic tetramine complex, 1729
nickel(II) dithiophosphinate, 2597
nickel(II) phosphine xanthate complex, 1341
niobium(III) phosphine thio thiolate complexes, 1689
niobium(V) chloride phenoxide cyclometallated complex, 1051
osmium alkylidene carbonyl hydride tungsten complex, 1491
osmium carbonyl copper(I) complexes, 75
osmium carbonyl thio complexes, 2385
osmium(0) alkyne carbonyl complex, 1867
palladium(II) aryl phosphinoe triphosphinomethanide complex, 2181
palladium(II) nitrite phosphine complex, 2591
palladium(II) phosphine thioether complex, 2579
phosphiniminocyclotrithiazenes, 1433
phosphorus(V) aryl seleno compounds, 681
platinum dithiolate phosphine complex, 1561
platinum(II) bromide phosphine complex, 1683
platinum(II) chloride isocyanide nickel(0) complex, 2651
platinum(II) diphosphine trisel-enophosphonate complex, 987
platinum(II) phosphine selenium - nitrogen complex, 1567
platinum(II) phosphine tellurium - sulphur - nitrogen complex, 2659
rhenium carbonyl pyridinethionate thio ruthenium complexes, 623
rhenium(II) acetate chloride diphosphine complex, 743
rhenium(II) carbonyl chloride diphosphine phosphine complex, 565
rhenium(II) chloride diphosphine complex, 573
rhenium(III) chloride phosphine complexes, 1165
rhenium(V) aryl butylimido cyclohexadienyl complex, 2081
rhenium(V) cyclopentadienyl dithiolate complex, 2211
rhenium(V) methoxide oxo Schiff base complex, 615
rhenium(V) neopentyl oxo sodium complex, 957
rhenium(VI) aryl bromide butylimide oxo cyclometallated complexes, 2081
rhenium(VII) aryl butylimide oxo complex, 2081
rhenium(VII) catecholate oxo complexes, 1323
rhenium(VII) oxo tripod phosphine oxide cobalt(0) complex, 2549
rhodium(I) carbonyl phenoxide complex, 969
rhodium acetate chloride nitrosyl phosphine complex, 1589
rhodium(II) alkenediyl carbonyl chloride phosphinopyridie complex, 2635
rhodium(III) amine thioether macrocyclic complex, 2925
rhodium(III) aryl dipyridyl pyridine cyclometallated complex, 1613
rhodium((III) carbonyl diamine methyl phosphine thioether complexes, 2071
rhodium(III) chloride pyridine complex, 2127
rhodium(IV) neopentyl oxo complex, 2071
ruthenium carbonyl pyridinethionate pyridyl thio rhenium complexes, 623
ruthenium dipyridyl pyridine

quinone complexes, 2267
ruthenium(0) alkyne carbonyl complex, 1867
ruthenum(0) phosphine tetramine macrocyclic complex, 1221
ruthenium(II) alkenyl carbonyl carboxylate phosphine complexes, 907
ruthenium(II) cyclopentadienyl phosphine phosphinothioformate complexes, 2163
ruthenium(II) cyclopentadienyl phosphite polysulphide complexes, 1893
ruthenium(II) violurate complex, 2733
silver nitrate complex, 2127
silver thiolates, 769,1429
sodium acetonitrile oxo rhenium(V) complex, 957
sodium uracil complex, 2199
spirophosphorane, 1463
tantalum(V) alkyl phenoxide cyclometallated complexes, 1051
tantalum(V) phenoxide phenyl, 963
tellurium(II),(IV) romide thione complexes, 2879
thorium chloride pyrazolylborate complex, 1645
thorium nitrate pyridone complex, 491
tin(IV) chloride phenol phenyl complexes, 653
tin(IV) tetraselenide complex, 1389
titanium(III) chloride phenoxide complex, 1617
titanium(IV) carboxylate cyclopentadienyl, 783
titanium(IV) cyclopentadienyl hydroxide ketoimine complex, 2097
titanium(IV) methyl silylamide complexes, 1423
tungsten alkoxycarbene alkylidyne carbaborane methylene molybdenum complex, 2953
tungsten alkylidene cyclopentadienyl oxo osmium complex, 1491
tungsten(0) carbonyl diimine complex, 1217
tungsten(0) carbonyl phosphine complex, 1363
tungsten(0) carbonyl phosphine thioether complex, 2579
tungsten(0) carbonyl phosphinine complex, 991
tungsten(II) carbonyl cyclopentadienyl phosphaallyl complex, 2859
tungsten(III) alkoxide chloride oxo complexes, 1829
tungsten(III) alkoxide selenophenoxides, 2941
tungsten(III) chloride cyclopentadienyl, 669
tungsten(IV) arylimide chloride dinitrogen phosphine complex, 669
tungsten(V) chloride cyclopentadienyl phosphine complex, 669
tungsten(VI) alkyl alkylidyne pyridine complexes, 1271
uranium(IV) chloride cyclopentadienyl pyrazolylborate complexes, 69
uranium(IV) chloride pyrazolylborate, 1645
vanadium(IV) diketonate oxo pyrazolylborate complex, 2483
ytterbium alkoxide oxide, 719
yttrium acetate diketonate water complex, 1305
zinc aminothiolate, 763
zirconium benzyl cyclopentadienyl iminoacyl phenoxide compounds, 839
zirconium methyl silylamide complexes, 1423
X - ray diffraction
aluminium niobium(V) oxide, 367
cobalt(III) complexes on clay surfaces, 2273
indium tin oxide, 361
iron(II),(III) in glasses, glazes, 999
nickel(II) complexes on clay surfaces, 2273
uranium(VI) fluoride complex, 47
X - ray fluorescence, clays, 517
Xylitol complexes
molybdenum(VI), 1225
1,1-Xylylenebis(cyclopentadienyl) complexes, lanthanides, 479
Xylyl complexes
rhenium(V),(VI),(VII), 2081

Y

Ylide complexes
lanthanides, 875
Ytterbium(II)
chloride, 1919
Ytterbium(III)
alkoxide oxo compound, 719
aminophenoxide carboxylate cyclopentadienyl hydroxyquinolate complexes, 2143
azole diketonate compound, 751
chloride cyclopentadienyl, 1453
chloride cyclopentadienyl ether complexes, 479
crown ether thiocyanate water complexes, 2371
diketonate pyrazolylborate compounds, 697
nitrate Schiff base complexes, 2019
phenanthroline polyketonate complex, 2285
phosphotungstates, 1249
Yttrium
acetate diketonate water complex, 1305
alkoxide oxo compound, 719
carboxylate pyrazolylborates, 1119
chloride cyclopentadienyl, 1453
chloride cyclopentadienyl ether complexes, 479

diketonate pyrazolylborate compounds, 697
diketone nitrate complexes, 795
nitrate pyridine Schiff base macrocyclic complex, 475
phenanthroline polyketonate complex, 2285

Z

Zinc
alkyls, 921
amine carboxylate water complexes, 2873
amine ether tridentate cyclic complexes, 2847
aminoacid complexes, 665
aminoacid Schiff base complex, 1293
aminothiolate, 763
azole schiff base thioether thiolate complexes, 1469
in blood serum, effect of polydentate ligands and antiinflammatory drugs, 505
diphosphoglycerate complexes, 189
enolate ethyl compound, 223
fluoride complexes, 901
nitrate pyridylpyrazole thiocyanate complexes, 2839
polymeric triamine complexes, 2491
salicylaldimine thiocyanate heteropolymetallic complexes, 557
Schiff base thiolate complexes, 1017
thiosemicarbazide complexes, 2029
Zirconium
aminophenoxide anthranilate peroxide Schiff base complexes, 1405
benzyl cyclopentadienyl imino-acyl phenoxide compounds, 839
carboxylate chloride cyclopentadienyl complexes, 2689
chloride cyclopentadienyl phenoxide pyrazolylborate complexes, 2185
cyclopentadienyl methyl compounds, 301
fluoride oxo peroxide complexes, 1653
methyl silylamide complexes, 1423